

THE NEW CHECKLIST OF THE BIRDS OF NEW YORK STATE

Emanuel Levine

585 Mead Terrace, South Hempstead NY 11550

With this issue of *The Kingbird* we will be incorporating all changes put forth in the 41st Supplement to the American Ornithologists' Union *Check-list of North American Birds* (AOU 1997).

The *Checklist of the Birds of New York State* (1996) followed the 6th Edition of the AOU *Check-list of North American Birds* (1983) and the subsequent 35th through 40th Supplements. The publication of the 41st Supplement (AOU 1997), with its numerous and sometimes dramatic changes, has made it necessary to realign our official list accordingly, as presented here. We will then be in conformity with the 7th Edition of the AOU *Check-list of North American Birds*.

Bird classification today may be in a greater dynamic state than anytime in history, reflecting the results of modern biochemical and DNA-DNA hybridization research. The forthcoming 7th Edition of the AOU *Check-list* will in no way be the final chapter and the changes will continue apace. We will adopt further changes as they appear.

Some may wonder why we must pay heed to this constant rearranging and renaming process. The very simple answer is that one must recognize some responsible central authority in an attempt to bring some order to what has become an increasingly chaotic picture of systematics and English names, so that what appears in these pages can be understood by any reader who picks up *The Kingbird* anywhere in this country.

We will start by summarizing those changes which apply specifically to the *Checklist of Birds of New York State* and then reproduce New York's current checklist of 451 species in its correct AOU confirmation.

The genus of Yellow-nosed Albatross is changed to *Thalassarche*.

The Family Cathartidae (American Vultures) is removed from the Order Falconiformes and placed in the Order Ciconiiformes after the Family Ciconiidae (Storks.)

The Family Anatidae (Geese, Swans, and Ducks) has been extensively rearranged.

In the Family Falconidae (Caracaras and Falcons) please note that Eurasian Hobby (*Falco subbuteo*) has been removed from the *Checklist of the Birds of New York State* by the reversal of the New York State Avian Records Committee's (NYSARC) decision on the record. This change is not the result of any AOU action.

In the Family Phasianidae (Partridges, Grouse, and Turkeys), the genus of Spruce Grouse has been changed to *Falcipennis*.

In this same Family Phasianidae, Northern Bobwhite has been removed and placed in its own Family Odontophoridae (New World Quail.)

In the Family Charadriidae (Plovers and Lapwings), the specific name of American Golden-Plover has been changed from *dominica* to *dominicus*.

In the Family Laridae (Skuas, Gulls, Terns, and Skimmers), the sequence of Jaegers and Skuas has been reversed.

In the Family Alcidae (Auks, Murres, and Puffins), Marbled Murrelet (*Brachyramphus marmoratus*) is replaced by Long-billed Murrelet (*B. perdix*) as the result of a species split.

In the Family Strigidae (Typical Owls), the generic name for Burrowing Owl has been changed from *Speotyto* to *Athene*.

In the Family Picidae (Woodpeckers and Allies), Lewis's Woodpecker has been added to the *Checklist of the Birds of New York State* by a NYSARC decision in mid-1996. This change is not the result of any AOU action.

All of the above changes cover the non-passerine portion of the *Checklist of the Birds of New York State*. The Order Passeriformes includes some 188 species of our checklist and most of the dramatic changes occur within that Order. Listed below you will find the new Family sequence within that Order, followed by changes taking place within those Families.

- Tyrannidae (Tyrant Flycatchers)
- Laniidae (Shrikes)
- Vireonidae (Vireos)
- Corvidae (Jays, Magpies, and Crows)
- Alaudidae (Larks)
- Hirundinidae (Swallows)
- Paridae (Chickadees and Titmice)
- Sittidae (Nuthatches)
- Certhiidae (Creepers)
- Troglodytidae (Wrens)
- Regulidae (Kinglets)
- Sylviidae (Old World Warblers and Gnatcatchers)
- Turdidae (Thrushes)
- Mimidae (Mockingbirds, Thrashers, and Allies)
- Sturnidae (Starlings and Allies)
- Motacillidae (Wagtails and Pipits)
- Bombycillidae (Waxwings)
- Parulidae (Wood Warblers)
- Thraupidae (Tanagers)
- Emberizidae (New World Sparrows)
- Cardinalidae (Grosbeaks and Buntings)
- Icteridae (Blackbirds and Orioles)
- Fringillidae (Fringilline and Cardueline Finches)
- Passeridae (Old World Sparrows)

In the Family Tyraanidae (Tyrant Flycatchers), the specific name of Olive-sided Flycatcher is changed from *borealis* to *cooperi*.

In the Family Vireonidae (Vireos), the English name Solitary Vireo is changed to Blue-headed Vireo.

In the Family Hirundinidae (Swallows), Barn Swallow is now placed directly after Bank Swallow, and the generic name for both Cliff and Cave swallows is changed from *Hirundo* to *Petrochelidon*.

In the Family Paridae (Chickadees and Titmice), the genus *Parus* has been replaced by the genus *Poecile* in the case of both Black-capped and Boreal chickadee, and by the genus *Baeolophus* in the case of Tufted Titmouse.

In the Family Emberizidae (New World Sparrows), the genus *Zonotrichia* has been rearranged and the sequence is now: White-throated, Harris's, White-crowned, Golden-crowned.

In the Family Icteridae (Blackbirds and Orioles), the sequence for grackles is now: Common Grackle followed by Boat-tailed Grackle.

It also should be pointed out that the three patronymic English names that ended in s' (Ross', Lewis', Harris') will now appear as Ross's, Lewis's, Harris's.

CHECKLIST OF THE BIRDS OF NEW YORK STATE

Published by The Federation of New York State Bird Clubs, Inc.

© 1996

With updates through July 1997

NOTATIONS

- * Species known to breed, to have bred, or to have established breeding in New York State (243 species)
- + Extinct (2 species)
- I Introduced (8 species)
- E Extirpated - no longer occurs in New York State but is not extinct (1 species)
- IE Introduced population existed but now extirpated (2 species)

The following notations denote species for which documentation should be submitted to the New York State Avian Records Committee: NYSARC, Cornell Laboratory of Ornithology, 159 Sapsucker Woods Road, Ithaca, NY 14850.

- N Species for which documentation should be submitted to NYSARC for observations anywhere within New York State.
- U Species for which documentation should be submitted to NYSARC only when observed in upstate New York.
- A Species for which documentation should be submitted to NYSARC only when observed outside the Adirondacks.
- S Species for which spring observations (especially upstate) should be submitted to NYSARC.

SPECIES

Family Gaviidae — Loons

Red-throated Loon *Gavia stellata*

Pacific Loon *G. pacifica* (N)

Common Loon *G. immer* *

Yellow-billed Loon *G. adamsii* (N)

Family Podicipedidae — Grebes

- Pied-billed Grebe *Podilymbus podiceps* *
- Horned Grebe *Podiceps auritus*
- Red-necked Grebe *P. grisegena*
- Eared Grebe *P. nigricollis*
- Western Grebe *Aechmophorus occidentalis* (N)
- Family Diomedidae — Albatrosses
 - Yellow-nosed Albatross *Thalassarche chlororhynchos* (N)
- Family Procellariidae — Shearwaters and Petrels
 - Northern Fulmar *Fulmarus glacialis* (U)
 - Black-capped Petrel *Pterodroma hasitata* (N)
 - Mottled Petrel *P. inexpectata* (N)
 - Herald Petrel *P. arminjoniana* (N)
 - Cory's Shearwater *Calonectris diomedea* (U)
 - Greater Shearwater *Puffinus gravis* (U)
 - Sooty Shearwater *P. griseus* (U)
 - Manx Shearwater *P. puffinus* (U)
 - Audubon's Shearwater *P. lherminieri* (N)
- Family Hydrobatidae — Storm-Petrels
 - Wilson's Storm-Petrel *Oceanites oceanicus* (U)
 - White-faced Storm-Petrel *Pelagodroma marina* (N)
 - Leach's Storm-Petrel *Oceanodroma leucorhoa* (N)
- Family Phaethontidae — Tropicbirds
 - White-tailed Tropicbird *Phaethon lepturus* (N)
 - Red-billed Tropicbird *P. aethereus* (N)
- Family Sulidae — Boobies and Gannets
 - Brown Booby *Sula leucogaster* (N)
 - Northern Gannet *S. bassanus* (U)
- Family Pelecanidae — Pelicans
 - American White Pelican *Pelecanus erythrorhynchos* (N)
 - Brown Pelican *P. occidentalis* (N)
- Family Phalacrocoracidae — Cormorants
 - Great Cormorant *Phalacrocorax carbo* (U)
 - Double-crested Cormorant *P. auritus* *
- Family Anhingidae — Darters
 - Anhinga *Anhinga anhinga* (N)
- Family Fregatidae — Frigatebirds
 - Magnificent Frigatebird *Fregata magnificens* (N)
- Family Ardeidae — Bitterns, Herons, and Allies
 - American Bittern *Botaurus lentiginosus* *
 - Least Bittern *Ixobrychus exilis* *
 - Great Blue Heron *Ardea herodias* *
 - Great Egret *A. alba* *
 - Snowy Egret *Egretta thula* *
 - Little Blue Heron *E. caerulea* *
 - Tricolored Heron *E. tricolor* (U) *
 - Reddish Egret *E. rufescens* (N)
 - Cattle Egret *Bubulcus ibis* *
 - Green Heron *Butorides virescens* *
 - Black-crowned Night-Heron *Nycticorax nycticorax* *

- Yellow-crowned Night-Heron *Nyctanassa violacea* (U) *
- Family Threskiornithidae — Ibises and Spoonbills
- White Ibis *Eudocimus albus* (N)
- Glossy Ibis *Plegadis falcinellus* *
- White-faced Ibis *P. chihi* (N)
- Roseate Spoonbill *Ajaia ajaja* (N)
- Family Ciconiidae — Storks
- Wood Stork *Mycteria americana* (N)
- Family Cathartidae — American Vultures
- Black Vulture *Coragyps atratus* (N)
- Turkey Vulture *Cathartes aura* *
- Family Anatidae — Geese, Swans, and Ducks
- Fulvous Whistling-Duck *Dendrocygna bicolor* (N)
- Greater White-fronted Goose *Anser albifrons*
- Snow Goose *Chen caerulescens*
- Ross's Goose *C. rossii* (N)
- Canada Goose *Branta canadensis* *
- Brant *B. bernicla*
- Barnacle Goose *B. leucopsis* (N)
- Mute Swan *Cygnus olor* (I) *
- Tundra Swan *C. columbianus*
- Wood Duck *Aix sponsa* *
- Gadwall *Anas strepera* *
- Eurasian Wigeon *A. penelope*
- American Wigeon *A. americana* *
- American Black Duck *A. rubripes* *
- Mallard *A. platyrhynchos* *
- Blue-winged Teal *A. discors* *
- Cinnamon Teal *A. cyanoptera* (N)
- Northern Shoveler *A. clypeata* *
- Northern Pintail *A. acuta* *
- Green-winged Teal *A. crecca* *
- Canvasback *Aythya valisneria* *
- Redhead *A. americana* *
- Ring-necked Duck *A. collaris* *
- Tufted Duck *A. fuligula* (U)
- Greater Scaup *A. marila*
- Lesser Scaup *A. affinis* *
- King Eider *Somateria spectabilis*
- Common Eider *S. mollissima* (U)
- Harlequin Duck *Histrionicus histrionicus*
- Labrador Duck *Camptorhynchus labradorius* (+)
- Surf Scoter *Melanitta perspicillata*
- White-winged Scoter *M. fusca*
- Black Scoter *M. nigra*
- Oldsquaw *Clangula hyemalis*
- Bufflehead *Bucephala albeola*
- Common Goldeneye *B. clangula* *
- Barrow's Goldeneye *B. islandica*

- Smew *Mergellus albellus* (N)
 Hooded Merganser *Lophodytes cucullatus* *
 Common Merganser *Mergus merganser* *
 Red-breasted Merganser *M. serrator* *
 Ruddy Duck *Oxyura jamaicensis* *
 Family Accipitridae — Kites, Eagles, Hawks, and Allies
 Osprey *Pandion haliaetus* *
 Swallow-tailed Kite *Elanoides forficatus* (N)
 White-tailed Kite *Elanus leucurus* (N)
 Mississippi Kite *Ictinia mississippiensis* (N)
 Bald Eagle *Haliaeetus leucocephalus* *
 Northern Harrier *Circus cyaneus* *
 Sharp-shinned Hawk *Accipiter striatus* *
 Cooper's Hawk *A. cooperii* *
 Northern Goshawk *A. gentilis* *
 Red-shouldered Hawk *Buteo lineatus* *
 Broad-winged Hawk *B. platypterus* *
 Swainson's Hawk *B. swainsoni* (N)
 Red-tailed Hawk *B. jamaicensis* *
 Rough-legged Hawk *B. lagopus*
 Golden Eagle *Aquila chrysaetos* *
 Family Falconidae — Caracaras and Falcons
 American Kestrel *Falco sparverius* *
 Merlin *F. columbarius* *
 Peregrine Falcon *F. peregrinus* *
 Gyr Falcon *F. rusticolus* (N)
 Family Phasianidae — Partridges, Grouse, and Turkeys
 Gray Partridge *Perdix perdix* (I) *
 Ring-necked Pheasant *Phasianus colchicus* (I) *
 Ruffed Grouse *Bonasa umbellus* *
 Spruce Grouse *Falcapennis canadensis* (A) *
 Greater Prairie-Chicken *Tympanuchus cupido* (E)
 Wild Turkey *Meleagris gallopavo* *
 Family Odontophoridae — New World Quail
 Northern Bobwhite *Colinus virginianus* *
 Family Rallidae — Rails, Gallinules, and Coots
 Yellow Rail *Coturnicops noveboracensis* (N)
 Black Rail *Laterallus jamaicensis* (U) *
 Corn Crane *Crex crex* (N)
 Clapper Rail *Rallus longirostris* (U) *
 King Rail *R. elegans* (N) *
 Virginia Rail *R. limicola* *
 Sora *Porzana carolina* *
 Purple Gallinule *Porphyryla martinica* (U)
 Azure Gallinule *P. flavirostris* (N)
 Common Moorhen *Gallinula chloropus* *
 American Coot *Fulica americana* *
 Family Gruidae — Cranes
 Sandhill Crane *Grus canadensis* (N)

- Family Charadriidae — Plovers and Lapwings
 Northern Lapwing *Vanellus vanellus* (N)
 Black-bellied Plover *Pluvialis squatarola*
 American Golden-Plover *P. dominica*
 Wilson's Plover *Charadrius wilsonia* (N)
 Semipalmated Plover *C. semipalmatus*
 Piping Plover *C. melodus* (U) *
 Killdeer *C. vociferus* *
- Family Haematopodidae — Oystercatchers
 American Oystercatcher *Haematopus palliatus* (U) *
- Family Recurvirostridae — Stilts and Avocets
 Black-necked Stilt *Himantopus mexicanus* (U)
 American Avocet *Recurvirostra americana* (U)
- Family Scolopacidae — Sandpipers, Phalaropes, and Allies
 Greater Yellowlegs *Tringa melanoleuca*
 Lesser Yellowlegs *T. flavipes*
 Spotted Redshank *T. erythropus* (N)
 Wood Sandpiper *T. glareola* (N)
 Solitary Sandpiper *T. solitaria*
 Willet *Catoptrophorus semipalmatus* *
 Spotted Sandpiper *Actitis macularia* *
 Upland Sandpiper *Bartramia longicauda* *
 Eskimo Curlew *Numenius borealis* (N)
 Whimbrel *N. phaeopus*
 Eurasian Curlew *N. arquata* (N)
 Long-billed Curlew *N. americanus* (N)
 Hudsonian Godwit *Limosa haemastica*
 Bar-tailed Godwit *L. lapponica* (N)
 Marbled Godwit *L. fedoa* (U)
 Ruddy Turnstone *Arenaria interpres*
 Red Knot *Calidris canutus*
 Sanderling *C. alba*
 Semipalmated Sandpiper *C. pusilla*
 Western Sandpiper *C. mauri* (S)
 Red-necked Stint *C. ruficollis* (N)
 Little Stint *C. minuta* (N)
 Least Sandpiper *C. minutilla*
 White-rumped Sandpiper *C. fuscicollis*
 Baird's Sandpiper *C. bairdii* (S)
 Pectoral Sandpiper *C. melanotos*
 Sharp-tailed Sandpiper *C. acuminata* (N)
 Purple Sandpiper *C. maritima*
 Dunlin *C. alpina*
 Curlew Sandpiper *C. ferruginea* (U)
 Stilt Sandpiper *C. himantopus*
 Buff-breasted Sandpiper *Tryngites subruficollis*
 Ruff *Philomachus pugnax*
 Short-billed Dowitcher *Limnodromus griseus*
 Long-billed Dowitcher *L. scolopaceus*

- Common Snipe *Gallinago gallinago* *
 American Woodcock *Scolopax minor* *
 Wilson's Phalarope *Phalaropus tricolor* *
 Red-necked Phalarope *P. lobatus*
 Red Phalarope *P. fulicaria*
- Family Laridae — Skuas, Gulls, Terns, and Skimmers
- Great Skua *Catharacta skua* (N)
 South Polar Skua *C. maccormicki* (N)
 Pomarine Jaeger *Stercorarius pomarinus*
 Parasitic Jaeger *S. parasiticus*
 Long-tailed Jaeger *S. longicaudus* (N)
 Laughing Gull *Larus atricilla* *
 Franklin's Gull *L. pipixcan*
 Little Gull *L. minutus*
 Black-headed Gull *L. ridibundus*
 Bonaparte's Gull *L. philadelphia*
 Mew Gull *L. canus* (N)
 Ring-billed Gull *L. delawarensis* *
 California Gull *L. californicus* (N)
 Herring Gull *L. argentatus* *
 Thayer's Gull *L. thayeri* (N)
 Iceland Gull *L. glaucoides*
 Lesser Black-backed Gull *L. fuscus*
 Slaty-backed Gull *L. schistisagus* (N)
 Glaucous Gull *L. hyperboreus*
 Great Black-backed Gull *L. marinus* *
 Black-legged Kittiwake *Rissa tridactyla*
 Ross's Gull *Rhodostethia rosea* (N)
 Sabine's Gull *Xema sabini* (S)
 Ivory Gull *Pagophila eburnea* (N)
 Gull-billed Tern *Sterna nilotica* (U) *
 Caspian Tern *S. caspia* *
 Royal Tern *S. maxima* (U)
 Sandwich Tern *S. sandvicensis* (N)
 Roseate Tern *S. dougallii* (U) *
 Common Tern *S. hirundo* *
 Arctic Tern *S. paradisaea* (N)
 Forster's Tern *S. forsteri* *
 Least Tern *S. antillarum* *
 Bridled Tern *S. anaethetus* (N)
 Sooty Tern *S. fuscata* (N)
 White-winged Tern *Chlidonias leucopterus* (N) *
 Black Tern *C. niger* *
 Black Skimmer *Rynchops niger* (U) *
- Family Alcidae — Auks, Murres, and Puffins
- Dovekie *Alle alle* (U)
 Common Murre *Uria aalge* (N)
 Thick-billed Murre *U. lomvia* (U)
 Razorbill *Alca torda* (U)

- Black Guillemot *Cepphus grylle* (U)
- Long-billed Murrelet *Brachyramphus perdix* (N)
- Ancient Murrelet *Synthliboramphus antiquus* (N)
- Atlantic Puffin *Fratercula arctica* (N)
- Family Columbidae — Pigeons and Doves
 - Rock Dove *Columba livia* (I) *
 - White-winged Dove *Zenaida asiatica* (N)
 - Mourning Dove *Z. macroura* *
 - Passenger Pigeon *Ectopistes migratorius* (+) *
- Family Psittacidae — Parrots
 - Monk Parakeet *Myiopsitta monachus* (I) *
- Family Cuculidae — Cuckoos, Roadrunners, and Anis
 - Black-billed Cuckoo *Coccyzus erythrophthalmus* *
 - Yellow-billed Cuckoo *C. americanus* *
- Family Tytonidae — Barn Owls
 - Barn Owl *Tyto alba* *
- Family Strigidae — Typical Owls
 - Eastern Screech-Owl *Otus asio* *
 - Great Horned Owl *Bubo virginianus* *
 - Snowy Owl *Nyctea scandiaca*
 - Northern Hawk Owl *Surnia ulula* (N)
 - Burrowing Owl *Athene cunicularia* (N)
 - Barred Owl *Strix varia* *
 - Great Gray Owl *S. nebulosa* (N)
 - Long-eared Owl *Asio otus* *
 - Short-eared Owl *A. flammeus* *
 - Boreal Owl *Aegolius funereus* (N)
 - Northern Saw-whet Owl *A. acadicus* *
- Family Caprimulgidae — Goatsuckers
 - Common Nighthawk *Chordeiles minor* *
 - Chuck-will's-widow *Caprimulgus carolinensis* (U) *
 - Whip-poor-will *C. vociferus* *
- Family Apodidae — Swifts
 - Chimney Swift *Chaetura pelagica* *
- Family Trochilidae — Hummingbirds
 - Ruby-throated Hummingbird *Archilochus colubris* *
 - Rufous Hummingbird *Selasphorus rufus* (N)
- Family Alcedinidae — Kingfishers
 - Belted Kingfisher *Ceryle alcyon* *
- Family Picidae — Woodpeckers and Allies
 - Lewis's Woodpecker *Melanerpes lewis* (N)
 - Red-headed Woodpecker *M. erythrocephalus* *
 - Red-bellied Woodpecker *M. carolinus* *
 - Yellow-bellied Sapsucker *Sphyrapicus varius* *
 - Downy Woodpecker *Picoides pubescens* *
 - Hairy Woodpecker *P. villosus* *
 - Three-toed Woodpecker *P. tridactylus* (A) *
 - Black-backed Woodpecker *P. arcticus* (A) *
 - Northern Flicker *Colaptes auratus* *

- Pileated Woodpecker *Dryocopus pileatus* *
- Family Tyrannidae — Tyrant Flycatchers
- Olive-sided Flycatcher *Contopus cooperi* *
 - Eastern Wood-Pewee *C. virens* *
 - Yellow-bellied Flycatcher *Empidonax flaviventris* *
 - Acadian Flycatcher *E. virescens* *
 - Alder Flycatcher *E. alnorum* *
 - Willow Flycatcher *E. traillii* *
 - Least Flycatcher *E. minimus* *
 - Eastern Phoebe *Sayornis phoebe* *
 - Say's Phoebe *S. saya* (N)
 - Vermilion Flycatcher *Pyrocephalus rubinus* (N)
 - Ash-throated Flycatcher *Myiarchus cinerascens* (N)
 - Great Crested Flycatcher *M. crinitus* *
 - Western Kingbird *Tyrannus verticalis* (U)
 - Eastern Kingbird *T. tyrannus* *
 - Gray Kingbird *T. dominicensis* (N)
 - Scissor-tailed Flycatcher *T. forficatus* (N)
 - Fork-tailed Flycatcher *T. savana* (N)
- Family Laniidae — Shrikes
- Northern Shrike *Lanius excubitor*
 - Loggerhead Shrike *L. ludovicianus* *
- Family Vireonidae — Vireos
- White-eyed Vireo *Vireo griseus* *
 - Bell's Vireo *V. bellii* (N)
 - Blue-headed Vireo *V. solitarius* *
 - Yellow-throated Vireo *V. flavifrons* *
 - Warbling Vireo *V. gilvus* *
 - Philadelphia Vireo *V. philadelphicus* *
 - Red-eyed Vireo *V. olivaceus* *
- Family Corvidae — Jays, Magpies, and Crows
- Gray Jay *Perisoreus canadensis* (A) *
 - Blue Jay *Cyanocitta cristata* *
 - Black-billed Magpie *Pica pica* (N)
 - American Crow *Corvus brachyrhynchos* *
 - Fish Crow *C. ossifragus* *
 - Common Raven *C. corax* *
- Family Alaudidae — Larks
- Sky Lark *Alauda arvensis* (IE) *
 - Horned Lark *Eremophila alpestris* *
- Family Hirundinidae — Swallows
- Purple Martin *Progne subis* *
 - Tree Swallow *Tachycineta bicolor* *
 - Northern Rough-winged Swallow *Stelgidopteryx serripennis* *
 - Bank Swallow *Riparia riparia* *
 - Barn Swallow *Hirundo rustica* *
 - Cliff Swallow *Petrochelidon pyrrhonota* *
 - Cave Swallow *P. fulva* (N)
- Family Paridae — Chickadees and Titmice

- Black-capped Chickadee *Poecile atricapillus* *
- Boreal Chickadee *P. hudsonicus* *
- Tufted Titmouse *Baeolophus bicolor* *
- Family Sittidae — Nuthatches
 - Red-breasted Nuthatch *Sitta canadensis* *
 - White-breasted Nuthatch *S. carolinensis* *
 - Brown-headed Nuthatch *S. pusilla* (N)
- Family Certhiidae — Creepers
 - Brown Creeper *Certhia americana* *
- Family Troglodytidae — Wrens
 - Rock Wren *Salpinctes obsoletus* (N)
 - Carolina Wren *Thryothorus ludovicianus* *
 - Bewick's Wren *Thryomanes bewickii* (N) *
 - House Wren *Troglodytes aedon* *
 - Winter Wren *T. troglodytes* *
 - Sedge Wren *Cistothorus platensis* *
 - Marsh Wren *C. palustris* *
- Family Regulidae — Kinglets
 - Golden-crowned Kinglet *Regulus satrapa* *
 - Ruby-crowned Kinglet *R. calendula* *
- Family Sylviidae — Old World Warblers and Gnatcatchers
 - Blue-gray Gnatcatcher *Polioptila caerulea* *
- Family Turdidae — Thrushes
 - Northern Wheatear *Oenanthe oenanthe* (N)
 - Eastern Bluebird *Sialia sialis* *
 - Mountain Bluebird *S. currucoides* (N)
 - Townsend's Solitaire *Myadestes townsendi* (N)
 - Veery *Catharus fuscescens* *
 - Gray-cheeked Thrush *C. minimus*
 - Bicknell's Thrush *C. bicknelli* (N) *
 - Swainson's Thrush *C. ustulatus* *
 - Hermit Thrush *C. guttatus* *
 - Wood Thrush *Hylocichla mustelina* *
 - Fieldfare *Turdus pilaris* (N)
 - Redwing *T. iliacus* (N)
 - American Robin *T. migratorius* *
 - Varied Thrush *Ixoreus naevius*
- Family Mimidae — Mockingbirds, Thrashers, and Allies
 - Gray Catbird *Dumetella carolinensis* *
 - Northern Mockingbird *Mimus polyglottos* *
 - Sage Thrasher *Oreoscoptes montanus* (N)
 - Brown Thrasher *Toxostoma rufum* *
- Family Sturnidae — Starlings and Allies
 - European Starling *Sturnus vulgaris* (I) *
- Family Motacillidae — Wagtails and Pipits
 - American Pipit *Anthus rubescens*
- Family Bombycillidae — Waxwings
 - Bohemian Waxwing *Bombycilla garrulus*
 - Cedar Waxwing *B. cedrorum* *

Family Parulidae — Wood Warblers

Blue-winged Warbler *Vermivora pinus* *
Golden-winged Warbler *V. chrysoptera* *
Tennessee Warbler *V. peregrina* *
Orange-crowned Warbler *V. celata*
Nashville Warbler *V. ruficapilla* *
Northern Parula *Parula americana* *
Yellow Warbler *Dendroica petechia* *
Chestnut-sided Warbler *D. pensylvanica* *
Magnolia Warbler *D. magnolia* *
Cape May Warbler *D. tigrina* *
Black-throated Blue Warbler *D. caerulescens* *
Yellow-rumped Warbler *D. coronata* *
Black-throated Gray Warbler *D. nigrescens* (N)
Townsend's Warbler *D. townsendi* (N)
Black-throated Green Warbler *D. virens* *
Blackburnian Warbler *D. fusca* *
Yellow-throated Warbler *D. dominica* (U) *
Pine Warbler *D. pinus* *
Prairie Warbler *D. discolor* *
Palm Warbler *D. palmarum* *
Bay-breasted Warbler *D. castanea* *
Blackpoll Warbler *D. striata* *
Cerulean Warbler *D. cerulea* *
Black-and-white Warbler *Mniotilta varia* *
American Redstart *Setophaga ruticilla* *
Prothonotary Warbler *Protonotaria citrea* *
Worm-eating Warbler *Helmitheros vermivorus* *
Swainson's Warbler *Limnothlypis swainsonii* (N)
Ovenbird *Seiurus aurocapillus* *
Northern Waterthrush *S. noveboracensis* *
Louisiana Waterthrush *S. motacilla* *
Kentucky Warbler *Oporornis formosus* *
Connecticut Warbler *O. agilis*
Mourning Warbler *O. philadelphia* *
Common Yellowthroat *Geothlypis trichas* *
Hooded Warbler *Wilsonia citrina* *
Wilson's Warbler *W. pusilla* *
Canada Warbler *W. canadensis* *
Painted Redstart *Myioborus pictus* (N)
Yellow-breasted Chat *Icteria virens* *

Family Thraupidae — Tanagers

Summer Tanager *Piranga rubra* (U)
Scarlet Tanager *P. olivacea* *
Western Tanager *P. ludoviciana* (N)

Family Emberizidae — New World Sparrows

Green-tailed Towhee *Pipilo chlorurus* (N)
Eastern Towhee *P. erythrophthalmus* *
Spotted Towhee *P. maculatus* (N)

- Bachman's Sparrow *Aimophila aestivalis* (N)
 American Tree Sparrow *Spizella arborea*
 Chipping Sparrow *S. passerina* *
 Clay-colored Sparrow *S. pallida* *
 Field Sparrow *S. pusilla* *
 Vesper Sparrow *Pooecetes gramineus* *
 Lark Sparrow *Chondestes grammacus* (U)
 Lark Bunting *Calamospiza melanocorys* (N)
 Savannah Sparrow *Passerculus sandwichensis* *
 Baird's Sparrow *Ammodramus bairdii* (N)
 Grasshopper Sparrow *A. savannarum* *
 Henslow's Sparrow *A. henslowii* *
 Le Conte's Sparrow *A. leconteii* (N)
 Saltmarsh Sharp-tailed Sparrow *A. caudacutus* (U) *
 Nelson's Sharp-tailed Sparrow *A. nelsoni* (N)
 Seaside Sparrow *A. maritimus* (U) *
 Fox Sparrow *Passerella iliaca*
 Song Sparrow *Melospiza melodia* *
 Lincoln's Sparrow *M. lincolnii* *
 Swamp Sparrow *M. georgiana* *
 White-throated Sparrow *Zonotrichia albicollis* *
 Harris's Sparrow *Z. querula* (N)
 White-crowned Sparrow *Z. leucophrys*
 Golden-crowned Sparrow *Z. atricapilla* (N)
 Dark-eyed Junco *Junco hyemalis* *
 Lapland Longspur *Calcarius lapponicus*
 Smith's Longspur *C. pictus* (N)
 Chestnut-collared Longspur *C. ornatus* (N)
 Snow Bunting *Plectrophenax nivalis*
 Family Cardinalidae — Grosbeaks and Buntings
 Northern Cardinal *Cardinalis cardinalis* *
 Rose-breasted Grosbeak *Pheucticus ludovicianus* *
 Black-headed Grosbeak *P. melanocephalus* (N)
 Blue Grosbeak *Guiraca caerulea* (U) *
 Indigo Bunting *Passerina cyanea* *
 Painted Bunting *P. ciris* (N)
 Dickcissel *Spiza americana* *
 Family Icteridae — Icterines
 Bobolink *Dolichonyx oryzivorus* *
 Red-winged Blackbird *Agelaius phoeniceus* *
 Eastern Meadowlark *Sturnella magna* *
 Western Meadowlark *S. neglecta* *
 Yellow-headed Blackbird *Xanthocephalus xanthocephalus*
 Rusty Blackbird *Euphagus carolinus* *
 Brewer's Blackbird *E. cyanocephalus* (N)
 Common Grackle *Quiscalus quiscula* *
 Boat-tailed Grackle *Q. major* (U) *
 Brown-headed Cowbird *Molothrus ater* *
 Orchard Oriole *Icterus spurius* *

Baltimore Oriole *I. galbula* *
 Bullock's Oriole *I. bullockii* (N)
 Family Fringillidae — Fringilline and Cardueline Finches
 Brambling *Fringilla montifringilla* (N)
 Pine Grosbeak *Pinicola enucleator*
 Purple Finch *Carpodacus purpureus* *
 House Finch *C. mexicanus* (I) *
 Red Crossbill *Loxia curvirostra* *
 White-winged Crossbill *L. leucoptera* *
 Common Redpoll *Carduelis flammea*
 Hoary Redpoll *C. hornemanni* (N)
 Pine Siskin *C. pinus* *
 American Goldfinch *C. tristis* *
 European Goldfinch *C. carduelis* (IE) *
 Evening Grosbeak *Coccothraustes vespertinus* *
 Family Passeridae — Old World Sparrows
 House Sparrow *Passer domesticus* (I) *

=