

REGION 10—MARINE

Patricia J. Lindsay

28 Mystic Circle
Bay Shore, NY 11706

S. S. Mitra

Biology Department, College Staten Island,
2800 Victory Blvd., Staten Island, NY 10314
shaibal.mitra@csi.cuny.edu

This summer's weather was delightful. Only three days, one in each month, reached or barely exceeded 90° F. June's mean temperature varied from 72.4° at Central Park to 70.4° at Islip, 1° and 2° above normal, respectively. Precipitation was 4.26" at Central Park, close to normal, but 2.48" below normal further out on Long Island, at 1.79". July averaged moderate mean temperatures, the highest being 76.1° at Central Park, close to normal. July rainfall was recorded at 5.59" at Central Park, 0.99" above normal, and 2.96" at Islip, slightly below normal. August's mean temperature was slightly below July's, and slightly below normal—74.5° at Central Park and 71.9° at Islip. And while rainfall averaged lower than normal at Central Park (2.20" was 2.19" below normal), the middle of Long Island saw **14.07"** of rain, **13.57"** of which fell in a 24 hour period

during a freak rain event 12-13 August. Islip picked up a whopping 9.71" of rain in just two hours ending at 6:56 a.m., including an incredible one-hour total of 5.34" between 4:56 and 5:56 a.m. This single event eclipsed Islip's previous wettest August (13.78" in 1990), tied its wettest single month on record (October 2005); and set a new official New York State record for rainfall in a 24-hour period (the previous record was 11.6" at Tannersville on August 27-28, 2011 during Hurricane/Tropical Storm Irene).

According to the National Weather Service, "(a)n anomalously deep upper level trough was moving into the northeast the morning of August 13th, transporting deep moisture over Long Island. At the surface, a parent low pressure system was moving across southeast Canada, with secondary low development just south of New York City. Heavy precipitation focused along and just north of the warm front associated with the secondary low pressure system. The mean storm motion was parallel to the orientation of the warm front and was significant in helping maintain heavy rain over Islip, NY for several hours."

The rain overwhelmed storm drains, causing tremendous flooding and damage estimated in the tens of millions of dollars to homes, businesses and government facilities. Sinkholes and road washouts were widespread. In Islip and Brookhaven Townships in Suffolk County, sections of most local and nearly all major roads were impassable, and looked more like lakes and rivers than thoroughfares. The spectacle of cars floating half-submerged down the highways was a familiar one on local newscasts and social media venues. It is interesting that we did not receive reports of flooded-out rails and other marsh denizens as has happened in the past during major flooding events.

There were a number of interesting reports of winter-season waterfowl this summer, including several species that have made Regional news in recent seasons, such as King Eider, Black Scoter, and Red-necked Grebe. It was not a particularly good summer for viewing seabirds from land, but a well-timed and deftly executed deepwater pelagic trip 11-12 August was extremely productive. By reaching Hudson Canyon and establishing a chum slick prior to first light, this See Life Paulagics trip out of Freeport witnessed a stunning assemblage of storm-petrels, including dozens each of **Leach's** and **Band-rumped**, as well as a **White-faced Storm-Petrel** a short time later. This spectacle was enough to awe veteran observers accustomed to finding themselves still chugging southward as the sun rose, then racing mostly unproductively around the Canyon in the short time left before turn-around time. This time, we were treated to leisurely studies of the *Oceanodromas*, followed by the stunning appearance of a **Fea's Petrel**, which made one close pass of the ship. The trip also recorded **Audubon's Shearwater** and **Bridled Tern**, but the regular shearwaters were scarce to absent.

News regarding the shorebird migration was mixed but mostly poor, probably for a variety of unrelated reasons. Counts at Jamaica Bay's East Pond were much lower than historical norms for many species, especially for the

freshwater specialties, such as Lesser Yellowlegs and Long-billed Dowitcher, for which this site represents the Region's premier stopover site. The reported maximum for Lesser Yellowlegs at the East Pond was just 25—astonishingly low by historical standards, where counts in the multi-hundreds have been routine. Quite possibly these trends are attributable to subtle alterations in the habitat quality (for instance due to the salt water intrusion in 2012) rather than any kind of population trends. Consistent with this view were a number of healthy counts of Lesser Yellowlegs flying past outer coast vantages, such as 51 passing Robert Moses SP on 15 August. Needless to say, the still breached and utterly compromised West Pond hosted very few birds of any kind—even salt marsh species seem not to have colonized it in proportion to its size. Grassland species were also poorly reported, with only a single report of three migrating Upland Sandpipers, just two Buff-breasted Sandpipers, and fewer than usual American Golden-Plovers.

The summer gathering of immature of Lesser Black-backed Gulls peaked in mid August, with counts on 14 August of 37 at Jones Beach and 29 at Smith Point CP.

Mid August cold fronts were well monitored this year for landbird migration and morning flight behavior. The cold front that passed through on 13 August produced some interesting migratory movements that were monitored over the next two mornings by Doug Gochfeld at Fort Tilden, Queens, and by SSM at Fire Island, Suffolk. Typical migrants of the season that were conspicuous at both sites included Eastern Kingbird, various swallows, Blue-gray Gnatcatcher, Cedar Waxwing, Northern Waterthrush, Yellow Warbler, American Redstart, Black-and-white Warbler, Red-winged Blackbird, and Bobolink. A particularly dramatic flight was noted 18 August, first nocturnally at the Empire State Building in Manhattan, by Jacob Drucker et al., then later by Doug Gochfeld et al. at Fort Tilden, and by Michael McBrien at East Patchogue. Counts of 650 Chimney Swifts at Fort Tilden and 911 Eastern Kingbirds there, plus 141 at East Patchogue, illustrate the value of appropriately focused attention. Most notable in my opinion was the definite presence in these flights of several species for which early fall movements have been correlated with broader irruptions of northern forest-breeding species: Downy Woodpecker, Myrtle Warbler, and Purple Finch. On the basis of these observations, we predicted in August that the fall of 2014 would, like those of 1995 and 2007 among others, feature irruptions by Downy and Hairy Woodpeckers, Red-breasted and White-breasted Nuthatches, and other forest-breeding species.

A **White-faced Ibis** continued from spring at Captree. A **Brown Booby** was seen and distantly photographed from Fort Tilden on 29 August. New York's second **Common Ringed Plover** was at Cupsogue 24 August. Found by Andrew Baksh on the falling tide, it was seen by many observers on the next rising tide, but never again, unfortunately.

We thank David Wheeler for crunching Region 10's voluminous eBird data though Swan Swan Hummingbird.

Region 10 and New York State lost three long-time, active birders and advocates for the natural world this summer. Jean Bourque, a tireless and dedicated defender of wildlife and its habitat in New York City, passed away June 9. Larry Merryman, indomitable conservationist and stalwart pillar of the Great South Bay Audubon Society, died on June 26. Diana Teta, an active birder for decades on Long Island, in New York City, and beyond, and well-known to many, passed away in mid July. Each will be sorely missed, and our heartfelt condolences go out to their family and friends.

CONTRIBUTORS

Bob Adamo, Pat Aitken, Deb Allen, Michael Andersen, Bob Anderson, Richard Aracil, Seth Ausubel, Andrew Baksh, Catherine Barron, Sue Barth, Ed Becher, Gail Benson, Bobby Berlingeri, Orhan Birol, William Blazey, Shane Blodgett, Nick Bonomo, Michael Britt, Thomas Brown, Thomas W. Burke, Ben Cacace; Vincent Cagno, Phillip Camhi, Chase Cammarota, Anthony Ciancimino, Jared Cole, Anthony Collerton, Mike Cooper, Kristin Costello, Willie D'Anna, Robert DeCandido, Joe DiCostanzo, Alan Drogin, Jacob Drucker, Mike Farina, Christopher Fernandez, Ken Feustel (KeF), Sue Feustel, Corey Finger, Tom Fiore, Howard Fischer, Ted Floyd, Brendan Fogarty, Gerta Fritz, Karen Fung, Doug Futuyma, John Gaglione, Joe Giunta (JGi), John Gluth, Douglas Gochfeld; Robert Grover, Paul Guris, Andy Guthrie, John Haas, Richard Haimes, Bill Hansen, Derek Harvey, Lynne Hertzog, Mike Higgiston, Joel & Peg Horman, Dennis Hrehowsik, Sam Jannazzo, Rob Jett, Richard Kaskan, Dave Klauber, Robert J. Kurtz, David LaMagna, MaryLaura Lamont, Anthony J. Lauro, Justin LeClaire, Cin-Ty Lee, Ernie Lewis, Patricia J. Lindsay, Jeffrey Liss, Heydi Lopes, Jean Loscalzo, Roberta Manian, Michael McBrien, Hugh McGuinness, Eric Miller, Shaibal S. Mitra, Celeste Morien, Pete Morris, Michael, Mulqueen, Lukas Musher, Karl Nilsen, Mary Normandia, Pat Palladino, Robert Paxton, Stephane Perreault, Will Pollard, Peter Polshek, Tom Preston, Bob Proniewych, Joan Quinlan, Keir Randall, David Ringer, Derek Rogers, Barbara Rubinstein, Karen Rubenstein, Mike Scheibel, Steve Schellenger, Sy Schiff, Donna Schulman, Eileen Schwinn, John Sepenoski, Michael Shanley, John Shemilt, Sean Sime, Jordan Spindel, Lloyd Spitalnik, Sam Stuart, Taylor Sturm, Ken Thompson, Phil Uruburu, Benjamin Van Doren, Ken Van Vuren, Steve Walter, Bob Washburn, Drew Weber, Alex Wilson (AxW), Angus Wilson, Holly Wilson, Seth Wollney, Tal Yarden, Byron Young, Michael Yuan, all the rest of the contributors to the eBird database, over 600 strong, and to the NY Rare Bird Alert.

ABBREVIATIONS

APEC – Alley Pond Environmental Center, QUEE; Calv – Calverton grasslands (former Grumman property), SUFF; CCP – Cupsogue County P, SUFF; CP – Central Park, NEWY; CR – Cemetery of the Resurrection, RICH; CRCP – Connetquot Ri SP, SUFF; DOP – Dreier Offerman P (Calvert Vaux P), KING; EH – East Hampton, SUFF; FBF – Floyd Bennett Field, QUEE; FI – Fire Island; FT – Fort Tilden, QUEE; HSP – Heckscher SP, SUFF; IHP – Inwood Hill P, NEWY; JamBay – Jamaica Bay Wildlife Refuge, QUEE, (East Pd unless otherwise indicated); JBSP – Jones Beach SP; JBWE – Jones Beach SP West End, NASS; LCP – Lemon Creek P, RICH; LI – Long Island; MB – Mecox Bay and flats, SUFF; MPSNC – Marine P Saltmarsh Nature Center, KING; Mtk – Montauk, SUFF; NB – Nickerson Beach, NASS; OMNSA – Oceanside Marine Nature Study Area, NASS; RMSP – Robert Moses SP, SUFF; Shinn – Shinnecock In area; SMCP – Shirley Marina CP, SUFF; SMSP – Sunken Meadow SP, SUFF; SPCP – Smith Pt CP, SUFF; WNWR – Wertheim NWR; WWP – Wolfe's Pd P, RICH.

WHISTLING-DUCKS – VULTURES

Snow Goose: injured, Northville farm pond, 4 reports 7 Jun-2 Aug.

Mute Swan: max 133 MB 16 Aug (AnW); 101 JamBay 10 Jul (ABk).

King Eider: Plumb Beach, KING 29, 31 Aug (ShB, mob).

Common Eider: large counts from the area of the Fishers I breeding areas include 67 Fishers I 6 Aug (J. Sep), 25 Plum I 1 Aug (J. Sep), and 20 Great Gull I 14 Jun (JDi); reports from regular summering sites in eastern LI include 2 Shinn 22 Jun – 10 Aug (mob) and 17 Mtk Seal Haulout Trail 3 Aug (AnW); westward, 4 NB 7 Jun (BBE) and one JBWE 24 Jul (KeF, SF) were notable.

Surf Scoter: 1-2 inds reported from Orient, Mecox, Shinn, Seatuck NWR, RMSP in SUFF, and NB and Long Beach in NASS 1 Jun-25 Aug.

White-winged Scoter: max 5 South Dumpling 8 Jun, and 4 Orient Causeway 29 Aug; 1-2 inds reported from Orient Pt, Amagansett, Georgica (EH), Plum I, and Shoreham 24 Jun-24 Aug.

Black Scoter: unusually numerous and widespread this summer: max 120, 110 Georgica Beach 22 Jun, 29 Jul; 100 Davis Park, FI 13 Jul; 90 Camp Hero, Mtk 17 Jul; 84 RMSP 2 Jun; 55 Orient Pt 1 Jun; numerous and widespread reports involving 1-5 inds from all counties except NEWY.

Long-tailed Duck: last rep JBSP 11 Aug (JDi).

Northern Bobwhite: 1-3 inds reported from 10 widespread locs; most or all now probably from release programs.

Red-throated Loon: CCP 4 & 9 Jun; WNWR 13 Jun; Shinn 22 Jun.

Common Loon: max 44 RMSP 1 Jun (M.Britt); 20 Shinn 1 Jun; most notable among numerous and widespread later reports was one at CP Res 6-8 Jun.

Horned Grebe: MB 11 & 14 Jul (JSh), rare in summer.

Red-necked Grebe: MB 14 Jul thru (JSh, mob), rare in summer.

Northern Fulmar: 6 pelagic NY Shelf 11 Jun (JSh, DR, L.Hertzog), ph.

FEA'S PETREL: SeeLife Paulagics trip Hudson Canyon 12 Aug (DG, mob), ph, potentially the 1st fully documented record for NYS.

Cory's Shearwater: max 79 Hudson Canyon 13 Jul (AnW, DR, JSh); two reps of poss *Scopoli's*: Mtk pelagic 3 Aug (T. Floyd) & Hudson Canyon 12 Aug (D. Weber, ph); about 20 reps from shore, max 9 CCP 13 Jul (DG, PJL, SSM); 1 Rockaway P, QUEE 7 Jun (M. Shanley) & 2 JBSP 15 Jun (J. Gag.) were the westernmost.

Great Shearwater: highest counts 139 Hudson Canyon 22 Jun (AnW, DR, JSh) & 100 off Mtk 29 Jun (D. LaMagna); about 15 reps from shore through period, max 5 Shinn 14 Jun (ABk).

Sooty Shearwater: relatively few this year; high counts 9 RMSP 1 Jun (MB, KeF, SF) & 13 RMSP 2 Jun (ABk); last from land CCP 4 Jun

(MMcB); last Block Canyon 27 Aug (N. Bonomo).

Manx Shearwater: max 3 Hudson Canyon 22 Jun (AnW, DR, JSh); 9 reps of 1-2 inds, e.g., RMSP 1 Jun (MB) & Montauk Pt 20 Aug (M. Scheibel).

AUDUBON'S SHEARWATER: 3 pelagic 90-100 mi se Shinn 1 Aug (AnW, DR, JSh); 2 pelagic outer Block Canyon, 1 middle grounds 9 Aug (AnW, DR, JSh); 1 pelagic middle grounds 10 (Aug AnW, DR, JSh); 6 SeeLife Paulagics trip Hudson Canyon 12 Aug (DG, mob), ph; 20 pelagic Block Canyon 27 Aug (N. Bonomo).

Wilson's Storm-Petrel: max 1,060 Hudson Canyon 12 Aug (DG et al.); other high counts 100 off Mtk 29 Jun (D. LaMagna), 115 Hudson Canyon 13 Jul (AnW, DR, JSh), & 219 Hudson Canyon 2 Aug (AnW, DR, JSh); many reps of small numbers from shore Long Beach, NASS to Mtk, max 15 CCP 11 Jul (Cin-Ty Lee).

WHITE-FACED STORM-PETREL: pelagic "Fishtails" se Shinn 1 Aug (AnW, DR, JSh), ph; SeeLife Paulagics trip mid Hudson Canyon 12 Aug (DG, mob), ph.

LEACH'S STORM-PETREL: 8 pelagic se Shinn 22 Jun (AnW, DR, JSh); 2 pelagic se Shinn 22 Jun (AnW, DR, JSh); 6 pelagic se Shinn 1 Aug (AnW, DR); pelagic se Shinn 9 Aug (AnW, JSh); 43 SeeLife Paulagics trip Hudson Canyon 12 Aug.

BAND-RUMPED STORM-PETREL: 12 pelagic se Shinn 1 Aug (AnW, DR); 23 pelagic se Shinn 1 Aug (AnW, DR, JSh); 56 SeeLife Paulagics trip Hudson Canyon 12 Aug.

BROWN BOOBY: sub ad FT 29 Aug (CF, LM, ph.)

Brown Pelican: JBSP 3 Jun (E. Becher); JBWE 23 Jul (ABk); prob same bird Pt. Lookout 23 Jul (BF); LCP 25 Jul (ACi); 3 Cedar Beach, T Babylon 4 Aug; 2 JBWE 5 Aug (S. Schellenger, W. Blazey); Tobay, NASS 9 Aug (J. Gag); JBWE 9 Aug (TWB, GB), seen 30 min later at RMSP (PJJ).

Least Bittern: 1-2 ads, 3 young Arshamomague Pres, T. Southold SUFF 23 Jun-26 Jul (mob), only location.

WHITE-FACED IBIS: Captree I, SUFF 1 Jun (KeF, SF, mob), cont from spring, last rep 13 Jun.

Black Vulture: max 3 various locs RICH; Caumsett SP, SUFF 22 Jun (PJJ, SSM), ph.

Turkey Vulture: max for LI 14 Calv 23 Aug (B. Washburn); nest with downy young EH 21 Jun (R. Poveromo et al.), ph p. 336.

HAWKS-ALCIDS

Red-shouldered Hawk: LI sightings: Blydenburgh CP 21 Jun; CRSP 22 Jun; WNWR 2 Jun; Caumsett SP 26 Jul & 7 Aug; Melville 11 Aug.

American Golden-Plover: max 5 Riverhead sod farms 22 Aug; CCP 25 Aug; 3 BFB 29 Aug; JBSP 29 Aug; JamBay 31 Aug.

COMMON RINGED PLOVER: ad m CCP 24 Aug (ABk, mob), ph; second documented record for NYS.

American Avocet: IHP 15 Jul; 1-3 JamBay 28 Jul-6 Aug; SMSP 30 Jul (SSM, mob); SPCP 1 Aug (M. Scheibel); CCP 9 Aug (CF).

Lesser Yellowlegs: max 55 SMCP 27 Jul (J. LeClaire); max at JamBay only 25 8 Aug; 51 migr RMSP 15 Aug (SSM).

Upland Sandpiper: 3 Rocky Point DEC 30 Jul (R. Kaskan), only report.

Hudsonian Godwit: CCP 25 Jul, 25-26 Aug; 6 JamBay 30 Aug, down to 2 here 31 Aug.

Marbled Godwit: max 6 CCP 21, 22 Aug (mob).

Semipalmated Sandpiper: max 2500 JamBay 27 Jul.

Western Sandpiper: CCP 13 Jul (DG, PJJ, SSM), ph; max 11 JamBay 23 Aug, 9 SMCP 26 Aug.

Least Sandpiper: max 300 JamBay 24 Aug.

White-rumped Sandpiper: max 28 JamBay 28 Aug.

Baird's Sandpiper: JBWE 26-29 Jul; 1-2 JamBay 29 Aug thru.

Stilt Sandpiper: arr 9 Jul CCP, where usually scarce; 13 Jul JamBay; max 39 JamBay 13 Aug.

Buff-breasted Sandpiper: ad HSP 13-19 Aug, unusual in Region; JBWE 28 Aug.

RUFF: no reports.

Short-billed Dowitcher: max 1500 JamBay 14 Jul, 442 CCP 3 Aug.

Long-billed Dowitcher: OMNSA 16 Jul; 2 JamBay 27 Jul, reports of one bird here various dates thru; Timber Pt Golf Course, SUFF 4 Aug (SSM).

Wilson's Phalarope: SMCP 4-8 Jun; JamBay 29 Jul.

Red-necked Phalarope: JBWE 13 Aug; Pt Lookout 13 Aug; SMCP 3 Aug.

Little Gull: ad-like eastern LI Sound 25 Jul (SSM, PJJ); JBWE 10-11 Aug (K. Fung, MMcBr, mob).

Lesser Black-backed Gull: 6 RMSP 1 Jun (MB); two high counts 14 Aug; 37 JBSP (M. Andersen) & 29 SPCP (DR).

Glaucous Gull: imm Terrapin Pt, JamBay 13 Jun (ABk).

BRIDLED TERN: second cal yr, SeeLife Paulagics trip Hudson Canyon 12 Aug (DG, mob), ph.

Gull-billed Tern: unus locs: SPCP 24 Jun (J. LeClaire), Camp Hero, Mtk 24 Jun (K. VanVuren), Mecox 6 Aug (K. Nilsen), Captree I 15 Aug (M. Andersen).

Caspian Tern: JamBay 13, 17 Aug; Orient Harbor Wetlands 17 Aug.

Black Tern: max 11 Shinn 22 Aug, 10

Napeague Harbor 11 Aug; poor showing.

ARCTIC TERN (R10): CCP 21 Jun; CCP 28 Jun; fewer than in recent years.

Royal Tern: first report 6 Jul MB; max 34 CCP and 16 JBWE 9 Aug.

SANDWICH TERN: MB 6 Jul (HMcG); NB 8 Jul (BF).

Black Skimmer: 1025 breeding colony NB 6 Aug (BF).

PIGEONS-WOODPECKERS

EURASIAN COLLARED-DOVE: various locs w side Manhattan from 22-29th Sts 22 Jun-9 Aug (D. Ringer, mob).

WHITE-WINGED DOVE: CCP 10 Jun (S. Barth, W. D'Anna, C. Morien).

Common Nighthawk: maxes for various locs include: 19 Sep's Farm, E. Marion 31 Aug; 14 PP 28 Aug; 13 Southard's Pd 28 Aug; 13 Stony Brook 25 Aug; 8 HSP 28 Aug.

Chuck-will's-widow: reports from traditional breeding locs 8 Jun-24 Jul inc max 3 Napeague, 1-2 FI and Quogue; one outlier near Ross's School, EH 8 Jun.

Chimney Swift: 650 FT 18 Aug (DG, LM).

Red-headed Woodpecker: CP 21 Jun (J. Spindel).

Yellow-bellied Sapsucker: Bryant P, NEWY 4 Jun (S. Stuart).

Downy Woodpecker: definite influx beginning 8 Aug, with 24+ reports barrier beaches, as many as 3 per day RMSP (KeF, SF, SSM).

FLYCATCHERS-WAXWINGS

Olive-sided Flycatcher: CP 1,4 Jun; CP 4, 9 Aug; FBF 23 Aug; CP 24 Aug; 2 PP 29 Aug.

Eastern Kingbird: 911 mig FT 18 Aug (DG); 141 mig E. Patchogue 18 Aug (MMcBr); 100 DOP 18 Aug (K. Randall).

American Crow: max 81 private farm EH 31 Aug (AnW).

Fish Crow: max 126 New Dorp, RICH 16 Aug (H. Fischer).

COMMON RAVEN (R10): numerous widespread reports from all counties; max 5 Calv 21 Jun; nested on Hampton Bays water tower again this year.

Cliff Swallow: present at APEC through Jul (S. Perreault et al.), no direct evidence of breeding.

Red-breasted Nuthatch: Seatuck NWR 17 Jun; SMSP 5 Aug; Wagner College, RICH 27 Aug; RMSP 28 Aug; PP 29 Aug; FBF 30 Aug.

Blue-gray Gnatcatcher: 37 FT 18 Aug (DG, LM); 22 E. Patchogue 18 Aug (MMcB).

Cedar Waxwing: 131 RMSP 7 Aug (SSM); 326 FT 15 Aug (DG).

WARBLERS

Worm-eating Warbler: arr 6 Aug, most records from NYC parks.

Louisiana Waterthrush: arr 1 Aug; most records from NYC parks; easternmost Southards Pd 21-22 Aug (PM, C. Cammarota), Rocky Pt, SUFF 4 Aug (R. Kaskan).

Northern Waterthrush: highest counts 19 FT 18 Aug (DG et al.), 16 FT 15 Aug (DG), & 11 RMSP 15 Aug (SSM).

Golden-winged Warbler: PP 15-16 Aug, only report.

"Brewster's Warbler": RMSP 16 Aug (KeF, SF).

Prothonotary Warbler: JamBay w side East Pd 15 Aug; Mtk Seal Haul-out Trail 17 Aug (AnW).

Tennessee Warbler: about 10 reports, the earliest and easternmost RMSP 15 Aug (SSM).

Mourning Warbler: two reports 18 Aug: PP (M. Yuan) & Jam Bay (A Bk).

Kentucky Warbler: Bethpage, NASS 22 Aug (J. Gag).

Cerulean Warbler: f PP 15 Aug (R. Jett, W. Pollard, S. Sime).

Yellow Warbler: 62 FT 18 Aug (DG, LM).

Palm Warbler: *palmarum* Randall's I 3 Aug (A. Drogen), very early.

Yellow-rumped Warbler: this year fetured an early fall flight, *intro.*: PP 8 Aug (K. O'Hearn, K. Toomey), 19 Aug (R. Manian), & 29 Aug (I. Conte, K. Toomey); FT 15 Aug (DG); E. Patchoge, SUFF 18 Aug (MMcB); Jam Bay 29 Aug (ABk).

Yellow-throated Warbler: 2 singing males CRSP 6 Jun-17 Jul, but no evidence of breeding this yr; RMSP 16 Aug (KeF, SF).

Yellow-breasted Chat: DOP 7 Jun (AxW); FT 16 Aug (CF); JBWE 29 Aug (S. Walter).

TOWHEES-WEAVERS

Vesper Sparrow: 1-2 reported from Gabreski Airport 1 Jun-9 Aug, known breeding loc.

Lark Sparrow: RMSP 7-9 Aug (KeF, SF, mob); Green-Wood Cem, KING 12 Aug; HSP 24 Aug (SF).

Savannah Sparrow: max 8 Calv 17 Jun (M. Schrimpf), breeding.

Grasshopper Sparrow: max 29 Calv 1 Jun; also reported from other fields in Calverton, Gabreski Airport, Morton NWR during Jun & Jul, and Aquebogue 18 Aug.

Nelson's Sparrow: Plumb Beach, KING 1, 7 Jun, cont from 31 May (H. Lopes, R. Jett, K Randall).

Lincoln's Sparrow: Bryant P, NEWY 4 Jun (S. Stuart).

White-throated Sparrow:

Dark-eyed Junco:

Summer Tanager: Old Stump Rd, Brookhaven, SUFF 6 Jul (C. Fernandez).

Blue Grosbeak: 1-2 Calv area 2-28 Jun; Joline Ave Beach, RICH 6 Jun; 1-2 CR 7 Jun-19 Aug; 2 WPP 15 Jun-27 Aug; Charleston, RICH 11 Aug; Green-Wood Cem, KING 24 Aug.

Dickcissel: JamBay 17 Aug (J. Cole, R, Aracil); MPSNC, KING 23 Aug (D. Hrehowsik, R. Manian, K. Costello).

Red-winged Blackbird: 2960 FT 18 Aug (DG, LM); 963 E. Patchogue 18 Aug (MMcB).

Eastern Meadowlark: max 16 Calv 26 Jul (AnW), breeding.

Purple Finch: RMSP 15 Aug (SSM).

EXOTICS

Chukar: 20th St, Brooklyn 14 Jul (T. Yarden).

African Collared-Dove: IHP 16 Jul.

Budgerigar: PP 16 Jun; MPSNC 12 Jul.

No. Red Bishop: Brooklyn Bridge P 13 Jul (J. Liss).

Scaly-breasted Munia: Brooklyn Botanic Garden 28 Jun.

===



American Avocets, Jamaica Bay Wildlife Refuge, Queens, 29 Jul 2014, © Andrew Baksh.



Band-rumped Storm-Petrel, Hudson Canyon, 12 Aug 2014, © Doug Gochfeld.