

===

REGION 2—GENESEE

Robert Spahn

716 High Tower Way, Webster, NY 14580
rspahn@prodigy.net

Looking at the averages, this was a very flat, wet summer. All three months averaged very near normal temperatures: June – 65.9° F, 0.3° below normal; July – 70.9°, 0.1° above normal; and August – 69.5°, 0.2° above normal. There was only one day > 90° in July and no days below 32° and the only record was a record low high on 27 June. There was just a shallow seesaw of temperatures through the season. Rainfall was a bit different. June was very wet at 6.20",

2.86" above normal, our ninth wettest June on record, and the heavy rains were scattered through the month. July was near normal at 3.56" and only 0.23" above normal. The heaviest of this rainfall was also south of Rochester. Nearly half of the rain, 1.56", fell in the 17-18 Jul period. August saw 4.67", 1.20" above normal, but 4.31" of that fell on just the 10th and 20th, leaving much of the month dry. There was enough precipitation to keep the Lake Ontario level high but not enough to provide much field habitat for shorebirds. Late spring migrants were few and early fall birds seemed to just trickle in. Though species variety was good, numbers were poor.

The multiple season approach still seems a good way to tackle this overall season. June sees the tail end of spring migration. This year reports were weak for most late migrants for a variety of reasons. The cool, wet June limited both birds and birders. High waters and a good growing season limited habitat both available and visible for trying to find late shorebirds and lingering waterfowl. Both groups were poor for both species and numbers. There was also very limited observation or reporting of the usual early June late hawk and eagle movements. Along the Lake Ontario shore diving ducks and loons and grebes cut off nearly completely. Gulls provided some highlights, with a rare adult Laughing Gull seen by Jim Barry on 2 June, a couple of Iceland Gulls lingering into June, and about 13 Lesser Black-backed Gulls recorded. More than usual Bonaparte's Gulls and Caspian and Common Terns lingered through the month; often there is a clear break with essentially none for much of June.

Among the passerines, we had the usual late migrants, mostly revealed by banding at BBBO, though numbers for most of that set of species were low. Interesting late birds included Tennessee Warbler to 11 June; Magnolia Warbler on 23 June; Blackpoll Warbler to 14 June; Wilson's Warbler on 17 June; and White-throated Sparrow on 23 June. There were also a number of other warbler species banded late that are not known to breed really close to the BBBO station. A Worm-eating Warbler reported in the hills south of Conesus Lake by Kelly Close on 22 June is hard to assess. We expect the possibility of breeding at the south edge of the Region but have no confirming evidence to date.

Moving on to the "breeding season", we have the usual lack of organized reporting due to few serious studies in progress and to the lack of reporting in a time frame useful to this report. BBS route summaries and MAPS summaries could add to better understanding of this season. Weather conditions should have been generally conducive to a good breeding season. Among the waterfowl, good counts of Wood Duck and Mallard in June and July suggest good nest success in the Region. For all of the other species, numbers are low enough to suggest little breeding in the Region. Mute Swan was interesting, with several pairs with young in ponds along the Lake Ontario Parkway early, but few young visible with the adults later. Trumpeter Swan reports were much fewer than in recent prior years. This year the Sandhill Cranes in the NMWMA either moved their young south into Region 3 or to areas where they were not reported. Late in the season, there was report of a possible subadult with a pair

near Taylor Marsh north of the Village of Honeoye plus a second pair on the other side of the marsh simultaneously. Moving down through the list, there was no assessment of numbers for the few breeding shorebird species. The only breeding species among the larids are Ring-billed Gull on occasion nesting on rooftops or a shopping plaza pond, with no reports this summer, and Black Tern, with some good numbers from the Van Dyne Spoor area of the NMWMA all summer.

An interesting positive was many reports of good numbers of breeding Pied-billed Grebe, Common Gallinule, and American Coot and sightings of American and Least Bitterns from the marshes at the end of Van Dyne Spoor in the NMWMA. On a NYSOA Young Birders Club field trip there on 16 August, we had families of the three species with small young. Given the small area of open water and good visibility near the road and calls from various distances, one can only wonder how many pairs of each species really are nesting in this large area of restored marsh.

Among the breeding passerines, we are aware of two MAPS projects in the Region but receive only limited information. Breeding Bird Surveys I conduct or heard about in the Region reported no unusual changes in species or numbers. From personal birding trips into the hills south of Rochester and reports filed by others, the usual species were essentially all present where expected. A couple of question marks were very few Winter Wrens, Red-breasted Nuthatches, and Golden-crowned Kinglets in expected sites. Again, without serious efforts to count and assess it is hard to draw conclusions from such anecdotal information. Among the rarer species we have the following: reports of good Fish Crow numbers in the Charlotte area of Rochester plus a few other locations with singles or a few; Common Raven seen in a new location; Golden-winged Warbler still hanging on in one location in the Town of Wolcott, Wayne County; "Lawrence's" Warbler in the Town of Bristol, Ontario County near where found last year; Prothonotary Warbler again along Armitage Road in Wayne County back and forth over our border with Region 3; more Yellow-rumped Warblers at Hamlin Beach State Park in early August, suggesting breeding there; Clay-colored Sparrow in the usual locations on Cook Road in the Town of Hamlin; and Pine Siskins all summer at feeders in Webster.

Summer birds we would not expect to be breeding, at least where and when found, included Black Vulture in Letchworth State Park several times in June, Lesser Black-backed Gull in June and July, and a number of warblers banded in late July, with Tennessee on 30 July the farthest from known breeding areas but also a fairly regular early wanderer or migrant.

Fall migration often begins with shorebirds returning in mid to late June. This year we had no such reports. The earliest fall arrivals were Greater Yellowlegs on 2 July. After that it was mid July before nine species arrived with first fall dates between 14 and 17 July. Among the highlights at that time were Whimbrels at two locations along the Lake Ontario shore. Three American Pipits on 24 July at a Genesee County farm were record early for the Region.

August brought reports of nearly all the reasonably expected fall migrants. Of 53 new arrival dates compared with the Monroe County Checklist (1985) arrival date distributions, 15 were in the interquartile range, 19 in the first quartile, one in the fourth quartile, and 11 record early, though nine of those have been seen at even earlier dates in the intervening years. Only Blackburnian Warbler and Yellow-rumped Warbler arrived at Regional record early dates. Scanning the checklist again, Northern Shoveler, Northern Pintail, Redhead, and both scaup were seen on the early side as well as both loons. Three Red-necked Grebes on 6 August, continued their early dates of recent years. There was no concerted effort at monitoring the summer hawk movement at Braddock Bay reported. Special shorebirds included three American Avocets at Sodus Point on 11 August, seven Willets from 10-20 August topped by three at Sodus Point on 24 August, and eight reports of Whimbrels. Rarer sightings included: two Long-tailed Jaegers, one by Andy Guthrie at Hamlin Beach SP on 28 August and a second by Dave Wheeler at Sodus Point on 29 August; an immature Sabine's Gull seen by Jessie Barry and Chris Wood near the lakeshore in Durand-Eastman Park on 29 August; and adult Little Gulls off Hamlin Beach SP on 1, 9, and 28 August. We can also toss in one more report of a Eurasian Collared-Dove at the Greenwell farm in Hamlin on 8 August, the first since 31 January. Birders pass that area regularly with eyes open, but reports remain few. Common Nighthawk arrived by 23 August, but reports were few and numbers low through season's end.

Among the passerine migrants, there was a steady flow of arrivals, both banded at BBBO and found by birders across the Region. As noted above, most of the arrivals were within their historical date ranges or a bit early, and there were no really outstanding rarities. Some of the more interesting reports were: Olive-sided Flycatcher on 28 and 29 August; Philadelphia Vireo on 4 August; a Barn x Cliff Swallow seen on 23 and 28 August in Hamlin; the two record-early warblers noted above; and a male Yellow-headed Blackbird found in the Van Dyne Spoor area of NMWMA by an RBA field trip on 22 August, seen by others through the 27th. There were some good totals banded, which will appear with the species data below. There were no really stellar banding days, with the high being 66 birds on the 15th. There were also decent counts for some of the swallows and a count of 14,000 Red-winged Blackbirds by Jay McGowan at Van Dyne Spoor on 23 August. A caution with counts is that one must pay attention to the levels of aggregation as well as aspects of observer effort.

A special note bearing attention for the future is Jim Adams' report and photos of the effects of emerald ash borer in Oatka Creek Park, where he monitors birds daily. The photos are reminiscent of the worst periods of gypsy moth defoliation, only in this case the trees are dying and will not just push forth new leaves. This park is a local hotspot for the effects of this alien invader.

Looking to measures of effort or at least the results in records for the season, we have approximately 16,512, 12,352, and 16,444 = 45,308 eBird "records" for the respective months and total for the season in this Region.

Adding data from local listservs, banding work, special surveys, and personal communications, we tallied species totals of 175, 173, and 202 vs. their 10-year averages of 179.1, 165.5, and 188.9. The August total was the second highest on record, topped only by 211 in 2009. There were quite a few species in the eBird data with hundreds of “records” in a month, but remember that you really need to examine the data in detail to find what that means in terms of “different records” and especially numbers of different individuals observed.

CONTRIBUTORS

Jim Adams, Janet Akin, BBBO (Betsy Brooks, *et al.*), John Ballou, Ted Barnett, Jessie Barry, Jim Barry, Mitchell Barry, Sue Barth, Doug Beattie, Dick Beery, Don Bemont, Linda Clark-Benedict & Steve Benedict, Mike Bergin, Lynn Bergmeyer, Barry Bermudez, Patrick Blake, John Boettcher, Lynn Braband, Robert Buckert, Ken Burdick, Bruce Cady, Doug Cameron, Brad Carlson, Kelly Close, Jeremy Collison, Andrew Consler, Cathy Contant, Dawn Crane, Kathleen Dalton, Doug Daniels, Willie D’Anna, Ian Davies, Larry Draper, Bruce Dudek, Sarah Dzielski, Wayne Fidler, Mark & Kelly Fitzsimmons, George Ford, Drew Fowler, Andy Garland, Chuck Gibson, Nathan Goldberg, Sheryl Gracewski, Jay Greenberg, Kevin Griffith, William Gruenbaum, Ralph & Georgia Guenther, Michael Gullo, Judy Gurley, Andrew Guthrie, Rich Guthrie, Anita Gwara, Ethan Gyllenhaal, Helen & Chris Haller, Kathy Hapgood, Elenor Hartquist, Kim Hartquist, George Haskins, Jim & Allison Healy, Dick Horsey, Bill Howe, Alec Humann, IBA Monitoring, Carolyn Jacobs, Nicholas Kachala, Ryan Kayhart, Tom Kerr, Jim Kimball, Kathy Kirsch, J. Gary Kohlenberg, Elijah Kruger, Chris Lajewski, Tom Lathrop, Leona Lauster, Greg Lawrence, Tim Lenz, Joan & Vern Lindberg, Patricia Lindsay, Mark Lyons, Peggy Mabb, Mark Magistro, Mary Magistro, Pat Martin, Lauri Mattle, Kevin McGann, Jay McGowan, Kevin McGowan, Bob McGuire, Matthew Medler, Jim Miles, Evan Mistur, Adrielle Mitchell, Ann Mitchell, Shai Mitra, Celeste Morien, Brian & Brooke Morse, Andrea Mott, Allen Nash, Ann Nash, Tom Nash, Dave Nicosia, Dave Nutter, Mike O’Brien, Pat Parslow, Andrea Patterson, Jim Pawlicki, Gerard Phillips, Norma Platt, Jon Podoliak, Carena Pooth, Jay Powell, Mike Powers, David Prill, Bill Purcell, Carolyn Ragan, RBA Field Trips, Thomas Riley, Dave Robertson, Dick & Dorothy Rosche, Ken Rosenberg, Wade & Melissa Rowley, Jesse Rubenstein, Jennifer Rycenga, Livia Santana, Michael Scheibel, Mickey Scilingo, Zaphir Shamma, Shirley Shaw, Dominic Sherony, Judy Slein, Tom & Pat Smith, Robert & Susan Spahn, Dave Spier, Chris Stanger, Joe Stevenson, Noah Strycker, Kimberly Sucky, Elaine Taft, Jim Tarolli, Steve Taylor, Michael & Joann Tetlow, Larry Therrien, Herb Thompson, Martha Van Bork, Jeanne Verhulst, Brad Walker, Mike Wasilco, Ann Watson, Bridget Watts, Drew Weber, David Wheeler, Joe Wing, Chris Wood.

ABBREVIATIONS

B – after a number of individuals indicates banded; BB – Braddock Bay, MONR; BBBO – Braddock Bay Bird Observatory, off Manitou Beach Rd, MONR; CLI – Conesus L Inlet, including WMA marshes, LIVI; Cuy – Cuylerville area, LIVI; DE – Durand-Eastman P, Rochester at Lake Ontario; G – Greece, MONR; H – T of Hamlin, MONR; HB – Hamlin Beach SP, MONR; HANA – High Acres Nature Area, T Perinton, MONR; IBO – Irondequoit Bay Outlet to Lake Ontario; ICW – Island Cottage Woods, T Greece, MONR; M – Manitou, MONR; MAC – Montezuma Audubon Center, T Savannah, WAYN; MP – Mendon Ponds P, MONR; NC – back end of Long Pd inland from Lake Ontario Parkway, T Greece; NMWMA – Northern Montezuma WMA, WAYN; OB – Ontario Beach, Charlotte MONR; OCP – Oatka Creek P, MONR; PtB – Point Breeze, ORLE; S- Savannah, WAYN; SPt – Sodus Pt, WAYN.

WHISTLING-DUCKS – VULTURES

Snow Goose: last NMWMA (Van Dyne Spoor) 15 June (DWh, JTa), late.

Wood Duck: 50 NMWMA (Van Dyne Spoor) 15 June; max 100 Conesus Inlet WMA 28 July; 63 NMWMA (Sandhill Crane Unit) 14 Aug.

Gadwall: last 7 NMWMA (Sandhill Crane Unit) 5 Jun; HB 7 Aug (AGu), scarce in summer.

Am. Wigeon: last NMWMA (Van Dyne Spoor) 21 June (DNu); 2 HB 11 Jul (AGu), scarce in summer; max 6 NMWMA (Van Dyne Spoor) 1 Aug (ID, LT), high for date.

Am. Black Duck: max 11 NMWMA (Sandhill Crane Unit) 28 July, low.

N. Shoveler: arr HB 25 Aug (RS), early.

N. Pintail: arr NMWMA (Van Dyne Spoor) 25 Aug (AM, JAk), early.

Green-winged Teal: max 11 NMWMA (Sandhill Crane Unit) 14 Aug, low.

Redhead: 1 PtB 12 Jul (AGu), unusual mid summer; arr 3 HB 16 Aug (B&BM), early.

Greater Scaup: arr HB 8 Aug (AGu), very early.

Lesser Scaup: arr OB 29 Aug (JeB, W), early.

Long-tailed Duck: last HB 17 Jun (RS), Reg record late.

Com Merganser: 2 HB 10 Jul (AGu), scarce on Lake Ontario mid summer.

Red-breasted Merganser: last PtB 21 Jun (JPa), late; 2 T Wolcott 3 Jul (W&MR), scarce in summer.

Red-throated Loon: last 4 HB 3 Jun (AGu), late; HB 6 Aug (AGu), scarce in summer.

Com. Loon: last HB 22 Jun (DNi), late; 1-2 HB 11, 17 31 Jul, 1 Aug (AGu), scarce in summer; arr 4 HB 28 Aug (AGu), early.

Pied-billed Grebe: max 45 NMWMA

(Sandhill Crane Unit) 5 Aug, good count.

Horned Grebe: last HB 13 Jun; arr 3 HB 28 Aug (AGu, JPa), early.

Red-necked Grebe: arr 3 HB 6 Aug (AGu), early; max 6 HB 22 Aug (AGu), early for so many.

Double-crested Cormorant: max 315 DE 29 Aug (JeB, CW).

Am. Bittern: 1 HANA 2 Jul (GF), unusual loc.

Least Bittern: HANA 19 Jun (AGa, DSh), unusual loc.

Great Egret: 3-7 NMWMA (Van Dyne Spoor) 21 Jun (sev), unusual date for so many; HANA 3 Jul (MG), unusual loc for date.

Black-crowned Night-Heron: 1 Broad St. bridge in downtown Rochester 25 Jul (JMi, LM), unusual loc.

BLACK VULTURE (R2): Letchworth SP 5, 7, 22 Jun (EK, KS).

Turkey Vulture: max 135 Riga Landfill 10 Jul (BriM).

HAWKS – LARIDS

Osprey: HANA 21 Jun, interesting loc for date; nest w yng Burger P, T Greece July, another cell tower with nest.

N. Goshawk: no reports.

Red-shouldered Hawk: only 5 rep scattered thru season.

Broad-winged Hawk: max 97 Frisbee Hill, Greece 5 Jun (BriW).

Red-tailed Hawk: max 31 BB 17 Aug (KD), very low; few counts reported.

Com. Gallinule: max 75 NMWMA (Sandhill Crane Unit) 21 Aug (DR).

Sandhill Crane: max 16 NMWMA (Van Dyne Spoor) 20 Aug (RBA Field Trip); 14 T Galen WAYN 31 Aug (W&MR); 2 ad E of Taylor Marsh ONTA 2 Aug (DBea, KK); 2 ad W of Taylor Marsh ONTA (DBea), different pr.
AM. AVOCET (R2): 3 Spt 20 Aug (JW, MG, CC, LL).

Black-bellied Plover: arr 2 Summerville Pier 11 Aug.

Am. Golden-Plover: arr 2 H 23 Aug.

Semipalmated Plover: arr 2 Spt 14 Jul.

Killdeer: max 241 H 29 Aug (CW), high count.

Solitary Sandpiper: arr 1-2 IBO 15 Jul.

Greater Yellowlegs: arr 10 NMWMA (Carncross Rd) 2 Jul (AdM, DNu).

Willet: Spt 10 Aug (JW); IBO 19 Aug (JMi); Summerville Pier 20 Aug (MG); Spt 20 Aug (MG); 3 Spt 24 Aug (JW).

Lesser Yellowlegs: arr Pultneyville Harbor 17 Jul (MG).

Upland Sandpiper: first of year 1 Genesee County Airport 24. 27 Jun (DRos, DBea), very late; 4 Genesee Airfield 21 Jul (JK); H 28 Jul (AGu); 4 Batavia Turf Farm 19 Aug (CMo).

Whimbrel: arr Spt 14 Jul (W&MR, JW, ph); IBO 15 Jul (JMi, sev, ph); 7 rep of 1-2 Spt 4-29 Aug; Summerville Pier 13 Aug PMa).

Ruddy Turnstone: arr 3 Summerville Pier 31 Jul; max 10 Spt 26 Aug.

Stilt Sandpiper: arr 1 HB 29 Aug & 3 NC 29 Aug.

Sanderling: arr 2-7 IBO 15 Jul; max 12 HB 29 Aug.

Dunlin: last 6 IBO 9 Jun.

Baird's Sandpiper: arr Spt 18 Aug (JW).

Least Sandpiper: arr 2 IBO 15 Jul & 17 T Sweden MONR 15 Jul; max 20 T Williamson WAYN 19 Aug, low.

White-rumped Sandpiper: arr Genesee 26 Aug (MW).

Pectoral Sandpiper: arr sev SE of Cuylerville LIVI 17 Jul.

Semipalmated Sandpiper: last 11, 20, max 38 IBO 8 Jun, low max; arr 6-7 Spt 14 Jul.

Short-billed Dowitcher: arr Genesee 27 Jul; max 3 Spt 19 Aug, low.

LONG-TAILED JAEGER: arr 1 lt morph juv HB 28 Aug (AGu); 1 ad Spt 29 Aug (DWh).

SABINE'S GULL: 1 juv Sherry Pd, Durand-Eastman P 29 Aug (JeB, CW).

Bonaparte's Gull: 4 HB 25 Jun (DH), usually scarce in late Jun.

Little Gull: single adults HB 1, 9, 28 Aug (AGu).

LAUGHING GULL (R2): 1 ad off Edgemere Dr Greece 2 Jun (JiB).

Iceland Gull: BB- W 1 Jun (BriM), late; last 1 1st sum HB 13 Jun (AGu), late.

Lesser Black-backed Gull: max 3-4 HB 7 Jun (AGu, B&BM); total approx 13 sev 5-28 Jun; 1 1st sum HB (AGu); 1 1st sum OB 12 Jul (AGu).

Caspian Tern: max IBO 12 Jun (JMi); 75 Spt 11 Aug; 74 HB 17 Aug.

Black Tern: max 16 NMWMA (Van Dyne Spoor) 6 Aug (LC-B, SB).

Com. Tern: max 30 HB 6 Aug (AGu).

Forster's Tern: arr BB-WS 30 Aug (CW).

PIGEONS – PARROTS

EURASIAN COLLARED-DOVE: 1

Greenwell farm H 8 Aug (AGu), 1st since Jan.

Com. Nighthawk: last Greece 18 Jun (KG); arr 3 NMWMA (Van Dyne Spoor) 23 Aug.

Chimney Swift: max 300 York Central School LIVI 23 Aug (JK).

Red-headed Woodpecker: nest Webster 24-30 Jun, Jul (JBo, mob), new loc; max 6 HB 16, 31 Aug.

Am. Kestrel: max 9 Nations Rd area, Avon 1 Aug (KS).

Merlin: 3 rep Jun; 3 rep Jul; 10 rep Aug; no rep on any nests this sum.

Peregrine Falcon: 2 ad, 2 yg Roch (falconcarn) thru, 3 eggs hatched and yng banded but 1 yng lost; approx. 7 other rep.

FLYCATCHERS – WAXWINGS

Olive-sided Flycatcher: arr H (Cook Rd) 28 Aug (AGu, JPa) & 29 Aug (CW).

Yellow-bellied Flycatcher: last 1B BBBO 5 Jun; arr HB 8 Aug (AGu), early; total B 15 BBBO 9-29 Aug.

“Trail’s” Flycatcher: max 13B BBBO 5 Jun.

Least Flycatcher: HANA 21 Jun (BCad, RBA Field Trip), unusual loc for date.

Philadelphia Vireo: arr Conesus Inlet WMA 4 Aug (JD), early.

Red-eyed Vireo: total B 39 BBBO Aug.

Fish Crow: max 17 OB area 27 Jun (AGU); 16 OB area 5, 26 Aug (RS); 6 Rochester 3 Jul B&BM), filled in Inner loop area; U. of Rochester 8 Jul (JCol).

Com. Raven: 5 Honeoye Falls 14 Jun (BCar), many for loc.

Purple Martin: max 81 Savannah-Spring Lake Rd WAYN 28 Aug.

Tree Swallow: max 1000 NMWMA (Van Dyne Spoor) 23 Aug (NG, JMcG).

Bank Swallow: max 1200 NMWMA (Van Dyne Spoor) 23 Aug (JMcG).

BARN X CLIFF SWALLOW: H @3, 28 Aug (B&BM, AGu).

Winter Wren: scarce in some breeding loc; 2 Durand-Eastman P 1 Aug (CW), unusual loc for date; migr 1-2 four Mile Creek Pres, Webster 26, 31 Aug (JMi).

Gray-cheeked Thrush: last 1 Cobbs Hill 8 Jun; arr HB – W 31 Aug.

Swainson's Thrush: total B 10 BBBO 1-6 Jun; last H 14 Jun (AGu); 1 T Canadice ONTA 2 Aug (DBea), rare in sum; arr 1B BBBO 28 Aug.

Hermit Thrush: arr 1B BBBO 19 Aug, early.

Gray Catbird: max 43 Beechwoods SP WAY 18 Jun (RS, TS); total B 137 BBBO Aug, high number.

Am. Pipit: 3 Cy Farms GENE 24 Jul (EM), Reg record early.

Cedar Waxwing: max 210 HB 20Aug.

LONGSPURS - WARBLERS

Ovenbird: 1B BBBO 24 Jul (AP), unusual loc for date.

WORM-EATING WARBLER (R2): 1 South Conesus 22 Jun (KC), latest local Jun record.

N. Waterthrush: 6B BBBO 3-5 Jun, unusual number for loc for dates; migr 2B BBBO 15 Aug; total B 20 BBBO 15-30 Aug.

Golden-winged Warbler: 1 N Wolcott WAYN thru 17 Jun, 3 Jul (W&MR).

“Brewster’s” Warbler: 1B BBBO 15, 16 Aug.

“Lawrence’s” Warbler: 1 T Bristol ONTA 4 Jun (KK), near last year’s site.

Black-and-white Warbler: 1B M 8 Aug.

Prothonotary Warbler: 1 S (Armitage Rd) thru 6 Jun (KB, NS, TL), nesting.

Tennessee Warbler: last BBBO – MAPS 11 Jun; 1B ad f BBBO 30 Jul (AP), unusual loc for date; arr 1B M 1 Aug.

Nashville Warbler: Lakeshores Marshes WMA 25 Jun (W&MR), unusual loc for date; Beechwoods SP 10 Jul (JW), unusual loc for date; 1B M 21, 26 Jul (AP), unusual loc for date; arr 3B M 8 Aug, early.

Mourning Warbler: 1B M 22 Jun (AP), unusual loc for date; arr 1B M 17 Aug, early.

Com. Yellowthroat: total B 26 M 1-31 Aug.

Hooded Warbler: max 20 Letchworth SP 7 Jun (MVB), count in prime breeding loc.

Am. Redstart: max 20 HB – west end 5 Jun (BriM), good count; total B 50 BBBO 21-30 Jul; total B 46 BBBO 1-31 Aug.

Cape May Warbler: arr 1 HB 10 Aug (R&SS), early.

N. Parula: arr 1B BBBO 26 Aug.

Magnolia Warbler: 1B BBBO - MAPS 23 Jun, late; N Wolcott WAYN 3 Jul (W&MR), unusual loc for date; arr H 14 Aug (AGu), early; total B 55 15-31 Aug.

Bay-breasted Warbler: arr 1 G 18 Aug.

Blackburnian Warbler: arr 1B M 1 Aug (AP), Reg record early.

Yellow Warbler: total B 176 BBBO 21-30 Jul; total B 63 1-20 Aug.

Chestnut-sided Warbler: arr 1B M 15 Aug, early.

Blackpoll Warbler: last 1 HB 14 Jun (B&BM); arr 3B BBBO 29 Aug.

Black-throated Blue Warbler: last 1B BBBO 2 Jun; arr 1B BBBO & 1 Badgerow P 22 Aug.

Yellow-rumped Warbler: 3 G 18 Jul (KG) & 1-5G 2-30 Aug (KG), unusual loc for dates; max 15 HB 17, 25 Aug (RS).

Prairie Warbler: 1 Canadice Hill Rd ONTA 2 Aug (CW), scarce breeder.

Black-throated Green Warbler: arr Four Mile Creek Pres, Webster 24 Aug.

Canada Warbler: 1 Genesee County P & Forest 2 Aug (GL); arr 1B BBBO 21 Aug.

Wilson’s Warbler: last 1 N Wolcott WAYN 17 Jun (LD), late; arr 1B BBBO 25 Aug.

TOWHEES – WEAVERS

Clay-colored Sparrow: 1, 2 Cook Rd, Hamlin – 2 loc 25 Jun (AGu); 1-2 Cook Rd, Hamlin 6-12 Jul (AGu, KS).

Grasshopper Sparrow: max Genesee County Airport 12 Jul (AGu).

White-throated Sparrow: Durand-Eastman P 6 Jun, late; M 23 Jun (AP), late; 2 Penfield MONR 19 Jul (PB), unusual loc for date.

Bobolink: max 40 Nations Rd IBA 17 Jun (NK), good count.

Red-winged Blackbird: max 14,000 NMWMA (Van Dyne Spoor) 23 Aug (JMcG), good count.

YELLOW-HEADED BLACKBIRD: 1 m NMWMA (Van Dyne Spoor) 22-27 Aug (RBA Field Trip, mob), *intro*.

Com. Grackle: max 500 NMWMA (Van Dyne Spoor) 29 Aug (DNu), good count.

Pine Siskin: Byron GENE 26 Jun (DBea); 3, 1-3, 1-5 Webster 24 Jun, 19-30 Jul, Aug (PMab), yard and feeders; 1 N Wolcott 5 Jul (W&MR); HB 10, 30 Jul (AGu); good number of summering birds, breeding possible.

===