

REGION 1 — NIAGARA FRONTIER

Mike Morgante

6405 Woodberry Court, East Amherst, NY 14051
morgm@roadrunner.com

June 2020 averaged out nearly normal with a hot finish. The mean temperature at the Buffalo weather station was 67.1° F, 0.8° above normal, with 3.55" of precipitation, 0.11" below average. The heat continued throughout July. The mean temperature was 77.6°, 6.5° above average, and the warmest all-time monthly temperature on record. Precipitation was 3.42", 0.19" above average. Summer heat remained in August. The average temperature was 73.5°, 3.9° above normal. Rainfall was 2.10", 1.16" below normal.

We birders were fortunate to have the first year of the New York Breeding Bird Atlas III project to focus on during this strange year. Some birders put in exceptional efforts for block assignments while others were good about adding breeding codes in their regular birding activity. My initial opinion held through the first atlas summer in Region 1, though—not enough birders were going “all out” and too many were sticking to eBird hotspots. It is hard to make sense of how the pandemic affected atlas work, but, using myself as an example, I had much more time available for birding this year than I would have otherwise. I suspect that applied to many others. I think it is going to take a greater collective effort to go farther afield in the next few years to get the priority blocks well covered let alone do justice for most of the blocks.

There were some interesting atlas finds and a few species with more reports than usual most likely due to atlas effort. In this latter category, I found it interesting that Swainson’s Thrush and Northern Parula were found beyond Allegany SP, the only known regular breeding location in recent years. Several more regular species that were noted with increased frequency this summer, mostly influenced by atlas effort, included Grasshopper Sparrow, Orchard Oriole, Virginia Rail, Least Bittern, and Yellow-billed Cuckoo. Yellow-billed Cuckoo was downright common in many areas in June this year. A singing Ruby-crowned Kinglet in some higher elevation (for Region 1) state forest land in Chautauqua County was intriguing, although the 1 August date raises questions as to whether it was there earlier in the summer. A singing Dickcissel in Villenova was a good atlas find by Gale VerHague, especially in a year when they were not plentiful in the northeast.

As the two most recent additions as Region 1 breeders, Trumpeter Swans and Caspian Terns are making it an annual occurrence. Trumpeter Swans were documented breeding in the Tonawanda WMA / Iroquois NWR for the third consecutive year, with four cygnets reported. Caspian Terns bred in Buffalo Harbor for the fourth consecutive year and with expanding habitat for them being created in the Niagara River, it is likely they will breed here for years to come.

Black Vulture and Fish Crow top my short list of the most likely next new Region 1 breeders. To my knowledge, no confirmations were received for either species this summer. Fish Crow went unreported, although there have been few summer reports despite increases in the other seasons; this species breeds nearby in the Niagara region of Ontario, as well as the Rochester area of Region 2. There were a few summer Black Vulture sightings in Lewiston again but gaining hard evidence of breeding for this species will be a challenge. For that matter, Turkey Vultures are a common presence throughout the Region, and it is difficult to confirm them as breeders. Celeste Morien was thrilled to find an active Turkey Vulture nest in an abandoned barn. Also, on my list of possible next new breeders is American White Pelican. For the second straight year there was a long-staying bird in summer; this time at Oak Orchard WMA where presumably the same bird was present through most of May and then returned in late July to remain into the fall season.

A roundup of the less common and/or declining breeding species typically tracked in this summer season report reads like recent years. There was only one Upland Sandpiper location reported where spring and summer sightings are regular at a covered landfill adjacent to Tillman Road WMA. There were a few summer reports of Common Nighthawk in Buffalo beyond when late spring migrants or early fall migrants would be expected. Sandhill Cranes were present at Tonawanda WMA / Iroquois NWR although I am not aware of confirmed breeding, and an early June report of two in Dayton is intriguing. Merlins were documented at several regular and new locations. Sedge Wren was documented in two Southern Tier locations. Clay-colored Sparrows bred at Krull County Park again, where they have become a regular occurrence, but sightings at only one other location was a bit of a surprise for this species on the increase. Yet again there were no Golden-winged Warbler reports in the breeding season, but I think that targeted searches in suitable habitat and more overall looking might still find some remaining for this third atlas project. Prothonotary Warbler was documented at Tonawanda WMA and Iroquois NWR, as usual.

Notable shorebird sightings at the end of spring migration included a flock of 22 Whimbrel at Beaver Island SP and a late Solitary Sandpiper in New Albion on 11 June. It was a decent summer for records of shorebirds on the return flight even though there were no outstanding concentration areas. American Avocet continues to become a more frequent summer occurrence as there were four reports this year, including a group of 18 in Ripley on 10 August by Domenic Rocco. Other “fall” migrant shorebird reports included up to three Whimbrel on a lawn at Fort Niagara SP that were observed by many over the first week of August, a Baird’s Sandpiper at Barcelona Harbor, a Buff-breasted Sandpiper found by Joe Mitchell in Newstead, two Willets at Point Breeze, and a Red-necked Phalarope at Batavia WWTP. Two distant phalaropes on the Niagara River in Buffalo following strong wind and storms on 27 August were considered Red-necked or Red.

That same storm event brought Laughing Gull, Black-legged Kittiwake, and Little Gull, all juveniles, to the Buffalo waterfront. There were five Lesser Black-backed Gull reports with one in early June and then four scattered reports in August. Three Forster’s Tern reports were unusual for all being in Cattaraugus County with reports of one and three at the sand and gravel ponds in South Dayton and then another at Allegheny Reservoir in late August. A Common Tern at Allegheny Reservoir in late August was a good sighting for the location.

Greater Scaup, Lesser Scaup, and Ring-necked Duck were reported from four, three, and three locations, respectively. Single reports were received for White-winged Scoter, Long-tailed Duck, Common Goldeneye, and Red-breasted Merganser. A Horned Grebe found by Kenneth Kemphues at Wellsville on 7 June was unusual for the date and location.

A **Mississippi Kite** observed by Alejandra Lewandowski flying north in Clymer on 22 June was only the fourth Regional record; while this was more likely a late migrant or wandering bird, the date leaves some wonder if breeding

may have been a possibility. Jarod Ruffle photographed the Region's sixth **Black-bellied Whistling-Duck** at Iroquois NWR on 16 July. Andrea Vallancourt found the Region's seventh **Brown Pelican** at Dunkirk Harbor on 27 August, perhaps also brought in by those strong winds; it was also seen there on the 29th. Willie D'Anna saw two distant ibis at the back of Cayuga Pool at Iroquois NWR on 1 June that he suspected were the same Glossys seen there a few days earlier, but with the distance he cautiously reported at **Glossy/White-faced Ibis**. Katelyn Davis reported a **yellow-bellied kingbird species** from Joseph Davis SP on 21 June; the photo included in the eBird report could not be conclusive to ID.

CONTRIBUTORS

Sue Barth, Don Bemont, Jim Berry, Chris Bertola, Kyle Brock, Robert Buckert, Brad Carlson, Dennis Crouse Jr., Willie D'Anna, Katelyn Davis, Jessica Detoy, Tony Dvorak, John Fedak (JFed), Joe Fell (JFel), Geoffrey Garver, Joanne Goetz, David Gordon, Michael Gullo, David Hayduk, Paul Hess, Alec Humann, Ken Kempfues, Josh Ketry, Alejandra Lewandowski, Tim Lenz, Joe Mitchell, Mike Morgante, Celeste Morien, TJ Mudd, Matt Nusstein, Betsy Potter, Jay & Ann Powell, Jeffrey Reed (JRe), Bruce Robinson, Domenic Rocco, Fred Rosing, Marcus Rosten, Jajeane Rose-Burney, Vicki Rothman, Jared Ruffle (JRu), Karl Schmidt, Shelley Seidman, Beverly Seyler, Tom Simmons, Rick Stevens, Joel Strong, Rick Thomas, Kirk Vanstrom, Brian Webb, Chris Wood, Andrea Vallancourt, Gale VerHague, Peter Yoerg.

ABBREVIATIONS

AISP – Allegany SP, CATT; **BeSP** – Beaver I SP, ERIE; **BMAC** – Beaver Meadow Audubon Center, WYOM; **BufH** – Buffalo Harbor, ERIE; **BuSP** – Buckhorn I SP, ERIE; **BWWTP** – Batavia Wastewater Treatment Plant, GENE; **CHMUA** – Carlton Hill Multiple Use Area, GENE/WYOM; **CSWMA** – Conewango Swamp WMA, CATT; **DH** – Dunkirk Harbor, CHAU; **FNSP** – Fort Niagara SP, NIAG; **GHSP** – Golden Hill SP, NIAG; **HBWMA** – Hanging Bog WMA, ALLE; **INWR** – Iroquois NWR, GENE/ORLE; **JDSP** – Joseph Davis SP, NIAG; **LBSP** – Lakeside Beach SP, ORLE; **LESP** – Lake Erie SP, CHAU; **NFSP** – Niagara Falls SP, NIAG; **NR** – Niagara R; **OOWMA** – Oak Orchard WMA, GENE/ORLE; **PB** – Point Breeze, ORLE; **TBNP** – Times Beach NP, Buffalo, ERIE; **Tift NP** – Tift Nature Pres, ERIE; **TRWMA** – Tillman Road WMA, ERIE; **TWMA** – Tonawanda WMA, GENE/NIAG; **WFWMA** – Watts Flats WMA, CHAU; **WoBSP** – Woodlawn Beach SP, ERIE.

WATERFOWL – HUMMINGBIRDS

BLACK-BELLIED WHISTLING-DUCK:

INWR 16 Jul (JRu), 6th Reg rec, all since 2010.
Mute Swan: max 18 Carlton ORLE 14 Jun; 7
 Wilson NIAG 16 Jun; BeSP 1 Jul, 28 Aug; DH

8 Jul, 11-29 Aug; 8 Olcott NIAG 15 Aug; max
 22 PB 15 Aug.

Trumpeter Swan: 2, 4, 2 TWMA 1 Jun, 22
 Jul, 26 Aug; 2 ad + 4 yg INWR 2 Jun (GG),
 third straight year breeding here.

Wood Duck: 99 TWMA 6 Jun; max 118 Tift NP 15 Aug.

Blue-winged Teal: 6 INWR 21 Jun; arr 2 Tift NP 13 Jul; 19 TRWMA 30 Jul; max 50 TWMA 29 Aug.

Northern Shoveler: max 30 BWWT 29 Aug.

Gadwall: 2 TWMA 3, 7 Jun; max 5 Tift NP 28 Aug.

American Wigeon: max 6 BWWT 29 Aug.

American Black Duck: INWR 2 Jun; N Harmony CHAU 5 Jun; arr Olcott NIAG 8 Aug; few reports.

Northern Pintail: arr 1, 1 TWMA 1, 29 Aug; INWR 28 Aug; max 3 BWWT 30 Aug; only reports.

Green-winged Teal: 2 INWR 13 Jun; arr 2 Tift NP 18 Aug; max 17 BWWT 29 Aug.

Redhead: Porter NIAG 1 Jun (JD); max 4, 1 TWMA 5 Jun, 4 Jul.

Ring-necked Duck: TWMA 1 Jun (WD); BWWT 12 Jun (JM); Tift NP 13 Jul, 6-23 Aug (JRB, mob); only reports.

Greater Scaup: BufH 2 Jun (RT); DH 3 Jun, 5, 14 Jul (GV); Tift NP 21, 28 Jul; TBNP 6-28 Aug; more reports than usual.

Lesser Scaup: AISP 7, 24 Jun (MM, KB), unusual location for date; 3, 1 BWWT 12 Jun, 29 Aug (JM, CM); Tift NP 19 Jun (DG).

White-winged Scoter: Barcelona CHAU 25-30 Aug (GV), only report.

Long-tailed Duck: PB 10 Aug (RB), only report.

Common Goldeneye: DH 14 Jul (GV), only report.

Common Merganser: max 35 Buffalo NR 27 Aug.

Red-breasted Merganser: Barcelona CHAU 20 Aug, only report.

Ruddy Duck: 10, 2, 7 BWWT 12 Jun, 1, 26 Jul, 23 Aug; lowest summer numbers for this location.

Pied-billed Grebe: max 14 INWR 16 Jun (CM); Wilson NIAG 4 Aug.

Horned Grebe: Wellsville ALLE 7 Jun (KK), unusual location for date.

Yellow-billed Cuckoo: max 6 TWMA 20 Jun; more reports than usual throughout Reg in Jun, Jul.

Black-billed Cuckoo: about half as many reports as yellow-billeds this summer.

Common Nighthawk: 2 Orangeville WYOM, TRWMA 4 Jun; last TWMA 8 Jun; Buffalo ERIE 30 Jun, 10, 30 Jul, 10, 14 Aug (PY, JFel), possible breeder(s); Silver Creek CHAU 26 Jul; Tonawanda ERIE 17, 30 Aug; WoBSP,

Tift NP, BeSP 24 Aug; 2 S Dayton CATT 27 Aug; Shelby ORLE 31 Aug.

RAILS – TROPICBIRDS

Virginia Rail: max 4 TRWMA 4 Jun; max 4 BMAC 2 Jul; max 4 Tift NP 22 Aug; atlas work turned up a few more locs than usual.

Sora: max 4 Kiantone CHAU 22 Jun; 3 Tift NP 28 Aug.

Common Gallinule: max 26 TWMA 1 Jun, 22 Jul.

American Coot: max 5 TWMA 6 Jun; 2 TWMA 4 Aug; OOWMA 16 Aug.

Sandhill Crane: 3 TWMA 6 Jun (CB); 2 Dayton CATT 6 Jun (JM); max 4, 7, 12 INWR 13 Jun, 17 Jul, 3 Aug (RS, MG, PH); 10 Middleport NIAG 16 Aug (JK).

American Avocet: arr Barcelona CHAU 20 Jul (BW, KB); DH 29 Jul; max 18 Ripley CHAU 10 Aug (DR); 2 WoBSP 11 Aug (SB); BufH 17 Aug (JK), good showing.

Black-bellied Plover: Tonawanda NR ERIE 2 Jun; last INWR 13 Jun (RS); arr BufH 3 Aug; PB 10, 31 Aug; Somerset NIAG 25 Aug; Allegheny Reservoir CATT 31 Aug.

American Golden-Plover: arr Newstead ERIE, Newfane NIAG 30 Aug.

Semipalmated Plover: 7 CSWMA 1 Jun; last 2 TWMA 3 Jun; arr Amherst ERIE 19 Jul; max Allegheny Reservoir CATT 19 Aug.

Upland Sandpiper: 2 TRWMA 3 Jun, regular breeding location.

Whimbrel: last 22 BeSP 2 Jun (TD), impressive number; arr 3-1 FNPS 2-8 Aug (J&AP, mob); Barcelona CHAU 28 Aug (TJM).

Ruddy Turnstone: 6 INWR 1 Jun; Tonawanda ERIE, Olcott NIAG 2 Jun; last PB 4 Jun; arr 1, 4, 3 BufH 24, 31 Jul, 8 Aug; 2 Barcelona CHAU 3 Aug; 2 Wilson NIAG 14 Aug.

Stilt Sandpiper: no reports.

Sanderling: last 2 BufH 2 Jun; arr BufH 24 Jul; 2 PB 4 Aug; Amherst ERIE 15 Aug; 8 BufH 24 Aug; max 11, 13 Barcelona CHAU 27, 30 Aug.

Dunlin: last CSWMA 1 Jun.

Baird's Sandpiper: arr Barcelona CHAU 27, 28 Aug (GV).

Least Sandpiper: arr 3 Amherst ERIE 5 Jul; max 20 INWR 30 Aug.

White-rumped Sandpiper: last TWMA 4 Jun (JS).

Buff-breasted Sandpiper: arr Newstead ERIE 25 Aug (JM).

Pectoral Sandpiper: arr INWR 22 Jul; max 9 INWR 23 Aug.

Semipalmated Sandpiper: last 79, 5 TWMA 2, 4 Jun; arr BufH 16 Jul.

Short-billed Dowitcher: arr 2 Hamburg ERIE 11 Jul; INWR 4 Aug.

Solitary Sandpiper: New Albion CATT 11 Jun (DC), late; arr Buffalo ERIE 8 Jul; 7 Amherst ERIE 28 Jul; max 23, 15 Chautauqua CHAU 2, 13 Aug (KV), impressive numbers; 11 Allegheny Reservoir CATT 28 Aug.

Lesser Yellowlegs: last INWR 13 Jun (RS); arr West Seneca ERIE 12 Jul; max 38 INWR 25 Aug.

Willet: arr 2 PB 10 Aug (JS, CM).

Greater Yellowlegs: arr Niagara NIAG 14 Jul; max 5 INWR 25 Aug.

Red-necked Phalarope: arr BWWT 23 Aug (JK, SS).

Red/Red-necked Phalarope: 2 Buffalo NR 27 Aug (SB, CB), not seen well enough to ID to species.

Black-legged Kittiwake: juv Buffalo NR 27 Aug (JM), early.

Bonaparte's Gull: BufH 2 Jun; Barcelona CHAU 11 Jun; max 300 Buffalo NR 27 Aug.

Little Gull: Buffalo NR 27 Aug (JM), only report.

Laughing Gull: juv BufH 27-31 Aug (JK, mob), rare.

Lesser Black-backed Gull: PB 2 Jun (CW); arr PB 10 Aug; Lewiston Reservoir NIAG 15 Aug; WoBSP 18 Aug; BufH 19 Aug.

Great Black-backed Gull: max 4 WoBSP 2 Jun.

Caspian Tern: max 219 Buf H 17 Jul.

Black Tern: max 20 TWMA 1 Jun.

Common Tern: max 400 BufH 31 Jul; 55 FNFP 8 Aug; Allegheny Reservoir CATT 28 Aug (TL).

Forster's Tern: 1, 3 S Dayton CATT 15 Jul, 9 Aug (JK); Allegheny Reservoir CATT 16 Aug (JK); good showing, especially for CATT.

LOONS – PARAKEET

Red-throated Loon: last PB 2 Jun (CW).

Common Loon: PB 2 Jun; Wilson NIAG 12 Jun; Whirlpool SP NIAG 26 Jun; Chautauqua CHAU 27 Jun; no reports beyond June.

Double-crested Cormorant: max 500, 900 Buffalo NR 18 Jun, 28 Aug; 850 DH 14 Aug.

American White Pelican: OOWMA 26 Jul thru (VR, mob), probably same bird here in May.

BROWN PELICAN (R1): DH 27, 29 Aug (FR, JG), 7th Reg record.

American Bittern: max 4 TWMA 1, 7 Jun; CSWMA 4 Jun (BR).

Least Bittern: Wilson NIAG 3 Jun (BP, WD), unexpected late migrant; 3, 3 TWMA 6 Jun, 4 Jul; BuSP 7, 14 Jun, 2 Aug (MR); Pomfret CHAU 17 Jun (GV); INWR 22 Jun; BWWT 1 Jul; West Seneca ERIE 21 Jul, 16 Aug; TBNP 15 Aug; Tift NP 22 Aug.

Great Blue Heron: max 127 INWR 14 Jun; 80 Motor I NR 23 Jun.

Great Egret: 45 INWR 6 Jun; 54 Motor I NR 23 Jun; max 125 TWMA 11 Aug.

Black-crowned Night-Heron: max 32 NFSP 6 Jul.

Glossy/White-faced Ibis: 2 INWR 1 Jun (WD), thought to be Glossy which were seen there a few days earlier.

Black Vulture: Artpark SP NIAG 4 Jun (MM), date suggestive of local breeding; FNFP 2 Aug; Lewiston NIAG 16 Aug.

Northern Harrier: TRWMA 6 Jun; Hinsdale CATT 8 Jun; Alexander GENE 11 Jun; BuSP 14 Jun; dates indicative of possible breeding.

MISSISSIPPI KITE: Clymer CHAU 22 Jun (AL), seen in flight to north, late migrant?, 4th Reg record.

Broad-winged Hawk: 3 LBSP 4 Jun (BC), late migrants.

Red-headed Woodpecker: Knox Farm SP ERIE 3 Jun; Busti CHAU 11 Jun; 2 INWR 22 Jun; 2 Mayville CHAU 28 Jun; 3, 5 Buffalo ERIE 2 Jul, 1 Aug; 2 West Valley CATT 6 Jul; 4 Wendt Beach CP ERIE 12 Jul; max 6 Olcott NIAG 20 Aug.

Merlin: 2 Sunnyside Marsh Preserve CHAU 24 Jun (JB); 2 ad + 2 yg Buffalo ERIE (AH); 2 ad + 3 yg Lakewood CHAU 1-31 Jul (TS); 2 N Tonawanda NIAG 16 Jul; more reports in Aug of likely arrivals.

FLYCATCHERS – SNOW BUNTING

yellow-bellied kingbird sp. (R1): JDSP 21 Jun (KD), cannot assign species ID from photo of undersides.

Olive-sided Flycatcher: last Canadaway Creek WMA CHAU 4 Jun (GV); arr Franklinville CATT 22, 30 Aug (JRe).

Yellow-bellied Flycatcher: Carlton ORLE 2 Jun; last Attica WYOM 6 Jun (CW); arr Hamburg ERIE 18 Aug; Wilson NIAG 22 Aug; LESP 28 Aug.

Acadian Flycatcher: max 7 Panama CHAU 16 Jun (TL); 6 Ripley CHAU 9 Jul.

Red-eyed Vireo: max 49 AISP 7 Jun (MM), tallied during 6-mile hike.
Common Raven: continued expansion should be documented in BBA.
Horned Lark: max 111 Shelby ORLE 27 Aug (CM).
Purple Martin: 84 ad + 138 yg OOWMA, 40 ad + 55 yg BWWT 27 Jun (CM); 200 Bethany GENE 12 Jul; 200 BuSP 26 Aug, evening roost at Grass I.
Bank Swallow: 55 PB 2 Jun; 50 Barre ORLE 18 Jun; 70 Olcott NIAG 8 Aug.
Red-breasted Nuthatch: increase in last third of August indicative of irruptive movements.
Sedge Wren: CSWMA 1, 19 Jun (GV, BR), continued from spring; max 2, 6, 3, 2 Villanova CHAU 30, 31 Jul, 11, 12 Aug (GV).
Ruby-crowned Kinglet: Cherry Creek CHAU 1 Aug (GV), heard singing and seen; very few historical breeding season records for Reg.
Veery: max 17 INWR 30 Jun (CM).
Swainson's Thrush: last 2 Buffalo ERIE 4 Jun; CSWMA 4 Jun (BR); CHMUA 6 Jun (CW); HBWMA 20 Jun (KS); 2 Carrollton CATT 18 Jul (JFed), last four locations possibly breeding?; arr WoBSP 22 Aug.
Cedar Waxwing: max 270 LBSP 5 Jun (DB), still migrating into June.
Purple Finch: max 11 Forestville CHAU 15 Aug; max 11 Orchard Park ERIE 24 Aug.
Pine Siskin: Orchard Park ERIE 20 Jun (SB); max 4 N Collins ERIE 9 Jul (JK).

NEW WORLD SPARROWS – CARDINALIDS

Clay-colored Sparrow: 2, 4, 2, 1 Krull CP NIAG 1, 28 Jun, 11 Jul, 20 Aug (JS), regular breeding location; Artpark SP NIAG 4-15 Jun (MM, BS).
Vesper Sparrow: Bethany GENE 7 Jun; max 7 Barre ORLE 7-28 Jun (CM); Sheridan CHAU 15 Jun; Yates ORLE 21 Jun; Shelby ORLE 25 Jul.
Grasshopper Sparrow: 2 Artpark SP NIAG 4, 21 Jun; 3 TRWMA 5 Jun; John White WMA GENE 7 Jun; 2 Rushford ALLE 14 Jun; 2, 4 Dunkirk Airport CHAU 16 Jun, 6 Jul; 3 BufH 22 Jun; 2 Newfane NIAG 22 Jun, 25 Jul; 3 Lockport NIAG 10 Jul; 2 Lancaster ERIE 14 Jul; 2 Charlotte CHAU 18 Jul; good showing.
White-throated Sparrow: Canaseraga ALLE 13 Jun; max 3 Alfred ALLE 21 Jun; 2 Allenberg Bog CATT 12 Jul.
Bobolink: 200 Canadea ALLE 20 Jun; max 250 S Dayton CATT 19 Aug; 80 Alexander GENE 20 Aug.

Orchard Oriole: CSWMA 4 Jun; LBSP 8 Jun; Panama CHAU 10 Jun; Clymer CHAU 17 Jun; Chautauqua CHAU 18 Jun; 2 Yates ORLE 3 Jul; 2 Clarence ERIE 7 Jul; 4 Newstead ERIE 11 Jul; GHSP 17 Jul; Cherry Creek CHAU 2 Aug; LBSP 6 Aug; TWMA 11 Aug; last Ellery CHAU 19 Aug.
Ovenbird: arr LESP 28 Aug.
Louisiana Waterthrush: 3 CHMUA 6 Jun; 4, 2 Hunters Creek CP ERIE 14 Jun, 23 Jul; 4 Zoar Valley MUA CATT 14 Jun; 3 Aurora ERIE 21 Jun; 4 Ripley CHAU 24 Jun; 2 Cherry Creek CHAU 26 Jul.
Northern Waterthrush: arr TBNP, WoBSP 16 Aug.
Golden-winged Warbler: no reports.
Black-and-white Warbler: last LBSP 5 Jun; CHMUA 6 Jun (CW); West Almond ALLE 9 Jun (DH); arr BeSP 19 Aug.
Prothonotary Warbler: TWMA 1 Jun (JS); 2, 2 INWR 4, 22 Jun; regular locations.
Tennessee Warbler: arr Wilson NIAG 22 Aug.
Nashville Warbler: last Sturgeon Pt CHAU 4 Jun; Westfield CHAU 9 Jun; Bethany GENE 12 Jun; 2 ad + 2 yg Charlotte CHAU 18 Jul (GV); Hanging Bog WMA ALLE 23 Jul; arr WoBSP 22 Aug.
Mourning Warbler: arr WoBSP 22 Aug.
Hooded Warbler: arr Tift NP 28 Aug.
Cape May Warbler: arr BeSP 19 Aug.
Cerulean Warbler: AISP 7, 9 Jun, 3 Jul; Allegheny Res CATT 8 Jun; max 6 Newstead ERIE 13 Jun (WD, BP); 4 INWR 16 Jun; 2 Barre ORLE 16 Jun (CM); 4 OOWMA 14 Jul.
Northern Parula: 2, 2 AISP 6 Jun, 1 Jul (MN, PH); Clymer CHAU 1 Jul (AL), rare breeder beyond AISP.
Magnolia Warbler: arr Tift NP 19 Aug.
Bay-breasted Warbler: arr Knox Farm SP ERIE 22 Aug.
Blackburnian Warbler: arr BeSP 19 Aug.
Chestnut-sided Warbler: arr WoBSP 20 Aug.
Blackpoll Warbler: last PB 2 Jun; arr Buffalo ERIE 30 Aug.
Black-throated Blue Warbler: last Wilson NIAG 3 Jun; max 7, 6 AISP 7 Jun, 23 Jul; Franklin Gulf CP ERIE 14 Jun; arr Buffalo ERIE 20 Aug.
Pine Warbler: max 4 Olcott NIAG 11 Jul; max 4 Ripley CHAU 14 Jul.
Prairie Warbler: max 11 Yorkshire CATT 7 Jun (JK).
Black-throated Green Warbler: arr Tift NP 26 Aug.

Canada Warbler: reported from 7 locations
Jun & Jul; 2 Clymer CHAU 12 Jun; 2 Almond
ALLE 14 Jun; 2, 1 WFWMA 17 Jun, 18 Jul;
arr WoBSP 22 Aug.

Wilson's Warbler: arr WFWMA 15 Aug.
Dickcissel: Villenova CHAU 27, 28 Jul (GV),
singing.