

REGION 7—ADIRONDACK-CHAMPLAIN

Derek H. Rogers

54 Corlear Drive, Willsboro, NY 12996
drogers0031@gmail.com

Bill Krueger

40 Colligan Point Rd, Plattsburgh, NY 12901
billkrueger@hotmail.com

Throughout the Region, September's temperatures hovered near normal, deviating less than a degree in either direction. However, unlike the temperatures, rainfall was variable throughout Region 7. The northern tier, the Champlain Valley, and the High Peaks averaged 4-5" as did the eastern half of Hamilton Co. The western half of Hamilton Co. averaged 5-6". A small area around Lake Placid was the wettest with 6-7" of precipitation.

October overall was drier than September with most of Region 7 receiving 2-3" of rain. The extreme northeast of Hamilton County and the northeast half of Franklin County were drier still with only 1-2". Only the High Peaks area got 3-4" of precipitation. Once again, the average temperatures for the Region were nearly uniform and deviated from normal less than a degree in either direction. Only the northern half of Franklin and Clinton Counties were 1-3° above normal.

November was warmer than normal throughout the Region. The entire Region averaged 3-5° above normal, except for a small area in southern Clinton and northwestern Essex Counties, which was only 1-3° above normal. Precipitation (melted equivalent) was 3-4" in most of the Region. Remnants of the 5-6-foot lake effect snowfall totals that were featured in the national news may have been responsible for the increase to 4-5" of precipitation observed in the western parts of Hamilton County. Scattered areas of Clinton County, mostly in the north, got only 2-3".

On 1 September the level of Lake Champlain stood at 93.82'. It then dropped to a seasonal low of 93.61' on 19 September. From there it rose in a rollercoaster-like series of highs to 94.60', an unusually narrow range. These levels produced a lackluster shorebird migration with only a smattering of sightings for a limited number of species over the length of the lake.

There were six reports of Pine Grosbeak in Region 7 this season, which is consistent with the Winter Finch Forecast's (WFF) expectation that this species would stay put east of Lake Superior. The forecast also was that White-winged Crossbill could be expected in northern New York. This season there were four reports of this species with no more than two individuals at a time. Red Crossbill, a resident, was reported from dozens of locations with up to 18 individuals counted. The WFF also expected small numbers of Types 1, 2, and 3 to be mixed in with this year's migrants; however, none were detected this season. Purple Finch, also a resident, was reported in good numbers from scores of sites. Both

redpolls conformed to the prediction that they were likely to stay put. In Region 7 there was only one report of Common Redpoll, thus not surprisingly, there were no reports of Hoary Redpoll. Also expected to stay put and a resident, Pine Siskin was reported from a couple dozen locations. For Evening Grosbeak, the expected movement south was documented by nearly 250 reports which included reports from all four counties and up to 110 individuals at a single location (21 November, Harrietstown). In the east Bohemian Waxwing was expected to remain in the boreal forest but was found at 18 sites with a maximum of 175 individuals.

Rotary Lake, the pond situated at the center of the Malone Memorial Recreation Park, has well established itself as ground zero for migratory geese in Region 7. The lake serves as a night roost and haven for many thousands of Snow Geese and Canada Geese as they take advantage of the available forage within the vast surrounding corn fields of northern Franklin County. In the past, the location has held rare western palearctic geese and accounted for most of the Region's high counts of other scarce but regularly occurring species this fall. At least two **Ross's Geese** lingered for nearly a month along with two **Greater White-fronted Geese**. Based on careful study of key field marks, it's likely the white-fronted geese originated from one of the North American populations. Rotary Lake also held the new Region high count for **Cackling Geese** with a total of 14 tallied on 26 October. Also in late October, an apparent **Greater White-fronted x Canada Goose (hybrid)** was first discovered and subsequently documented with field notes, photographs, and video footage.

A pair of **Trumpeter Swans** near the border with Canada in November was only the third fall record for Region 7. More common in spring, **Tufted Duck** was reported from Lake Champlain for the second fall in a row and only the third time in the past ten years. An established breeder in the area, **Sandhill Crane** lingered in the Tupper Lake area into September.

The fall shorebird season yielded the typical assemblage of species with the addition of some scarce but regularly occurring highlights. Clinton and Essex Counties each hosted single records of **American Golden-Plover**, both of which were discovered along the Lake Champlain shoreline. The exposed sandy delta at the mouth of the Boquet River in Willsboro was fairly productive and held four **Baird's Sandpipers**, one individual shy of the tying single-site record for Region 7. A few **White-rumped Sandpipers**, less reliable than other regularly occurring shorebird species, were also discovered along Lake Champlain this season.

The **Black-legged Kittiwake** sighted off Willsboro Point on 27 September was the Region's first since 2003. While this species is unquestionably scarce, the paucity of fall reports from the shores of Lake Champlain is presumably linked to the lack of dedicated lake watches from strategic points along the lakeshore. In addition, most sections of the New York shoreline are in private ownership, therefore limiting access to the theoretical "dream locations" such as Split Rock Point and other pinch points within the basin. A **Little Gull** spotted at Cole Bay was the first since 2020. On Lake Champlain, this species presence appears to be directly correlated to Bonaparte's Gull abundance. Therefore, the two-year

absence of Little Gull was likely due to the recent summer/fall decline of the Bonaparte's Gulls.

A lone **Black Tern** discovered inside Willsboro Bay was only the third fall eBird record for Region 7. Written records from the last half of the last century have this tern lingering to at least 10 September at its once established breeding sites in the marshes on the south shore of Lake Alice and at the base of Point au Fer.

Three **Red-headed Woodpeckers** were documented in Region 7 this fall with the first report of an adult along the shores of Lake Champlain in Clinton County at Cumberland Head on 16 October. Next, a juvenile was discovered on 27 October in Franklin County in the Onchiota area visiting a suet feeder at a private residence. The last report for this species was that of another juvenile from Paradox in Essex County approximately 50 miles south-southeast of Onchiota and five days later. A great showing for a species that is remarkably scarce throughout Region 7.

Rare to begin with, the **Cave Swallow** found at Crown Point State Historic Site was only the second record for the Region and the first record for Essex County. This sighting coincided with a small influx of Cave Swallows that was first noted in the Great Lakes Region. Apparently very rare in fall, a **Sedge Wren** was discovered on Willsboro Point on 10 September in a small hayfield. Remarkably, this is only the second fall season record of this species in Region 7. According to Geoffrey Carleton's *Birds of Essex County, New York*, Third Edition, the first record of Sedge Wren came 47 years prior on 3 September 1975 in nearby Wadhams. The precise locality of that record is not mentioned. A **Dickcissel** reported from Piseco Airport was only the second eBird record, but there are five prior Essex County records including a specimen in the SUNY Plattsburgh collection.

A **Nelson's Sparrow** was documented in Essex County for the first time in 39 years at the mouth of the Boquet River in Willsboro. There is only one prior Essex County record of this species which took place in Westport from 23-24 October, 1983 (NYSARC # 1983-24-A/D/*Kingbird* 34 (4)). The specific locality of this sighting is not mentioned; however, associated comments in the individual NYSARC submissions strongly suggest the bird was found at or near the Hoisington Brook Outlet. The 2022 Willsboro record involved a single individual discovered at the confluence of the Boquet River and Lake Champlain along the fringe of an exposed emergent wetland and slightly drier upland habitat, where the bird fed on dried seed heads of soft-stemmed bulrush (*Schoenoplectus tabernaemontani*). A detailed description with accompanying photographs strongly suggests this individual as *A. n. altera*, one of the two interior-type subspecies. Coincidentally, the 2022 Nelson's Sparrow, also apparently of interior origins, was found in very similar habitat to the 1983 individual, according to descriptions in the reports.

CONTRIBUTORS

Ken Adams, Angelique & Steven Atkins-Little, Suzanne Beaumont, Alan Belford, Brian Berg (BBg), Jeff Biby, Marian Bodine, Tom Boring, Laura Breyfogle, Kenneth Butler, Gary Chapin, Glen Chapman, Malinda Chapman, Keri Charles, Joan Collins, Ken Copenhaver, Gregg Dashnau, Charlotte Demers, Kayley Dillon, Alexander Freinberg, Ellie George, James Goetz, Edward Grant, Daniel Haber, Ryan Hamilton (RH), Rich Hanlon (RHn), Julie Hart (JHa), Judy Heintz (JH), Noah Henkenius, Kathy Hixson, Sarah Humphries, Suzy Johnson, Braylin Jones, Ellen Jones, Janelle Jones, Laurie Keefe, John Kent, Cindy Kindle, Bill Krueger, Jim Lafley, Greg Lawrence (GL), Cheyenne Lee, Gary Lee (GLe), Tristan Lowery, Nicolas Main, Larry Master, Brian McAllister, Jay McGowan, Kevin McGrath, Ezra McIlvain (EMc), Luke McNally, Katrina Meyer, Alissa Milillo, Phil Mills, Betsy Miner, Ellen Munshower, John Nelson, Nancy Olsen, Amanda Paret, Joseph Poliquin, Yoni Rabino, Noah Reid, C. Retzloff, Stacy Robinson (SR), Derek Rogers (DHR), Dana Rohleder (DR), Steven Roski (StR), Tim Rozmus, Livia Santana, Will Sherman, Daniel Sgro (DSg), Kent Stanton, Janet Stein, Dana Sterner, Mike Sweet (MSw), Gerald Teig, Jan Trzeciak, Conner Vara, Hollis White.

ABBREVIATIONS

AFT – Art Farm Trail, ESSE; **AHR** – Angier Hill Rd, ESSE; **AM** – Ausable Marsh, CLIN; **AP** – Ausable Pt, CLIN; **BB** – Bloomingdale Bog, FRAN; **BBS** – Bloomingdale Bog South, FRAN; **BPd** – Burma Pd; **BRM** – Boquet Ri Mouth, ESSE; **BWB** – Bulwagga Bay, ESSE; **CBM** – Cumberland Bay McDonald’s, CLIN; **CLIN** – Clinton Co; **CoB** – Cole Bay, ESSE; **Co-FL** – Atlas breeding code; **CP** – Crown Pt, ESSE; **CR** – Chazy Riverlands, CLIN; **ESSE** – Essex Co; **EFT** – Essex Farm Trail, ESSE; **FRAN** – Franklin Co; **HAMI** – Hamilton Co; **HBO** – Hoisington Brook Outlet, ESSE; **HMT** – Hurricane Mt, ESSE; **Inl** – Inlet, HAMI; **KB** – Kings Bay, CLIN; **KN** – Keene, ESSE; **LAWMA** – Lake Alice WMA, CLIN; **LCI** – Lake Clear, FRAN; **LCo** – Lake Colby, FRAN; **LCTM** – Lower La Chute Ticonderoga Marsh, ESSE; **MMRP** – Malone Memorial Recreation P, FRAN; **MtM** – Mount Marcy, ESSE; **NP** – Noblewood P, ESSE; **OPR** – Oregon Plains Rd, FRAN; **PAp** – Piseco Airport, HAMI; **PCB** – Plattsburgh City Beach, CLIN; **PH** – Port Henry, ESSE; **PHP** – Port Henry Pier, ESSE; **PK** – Port Kent, ESSE; **PL** – Piseco L, HAMI; **PS** – Paul Smiths, FRAN; **PaR** – Point Au Roche SP, CLIN; **SL** – Saranac L, FRAN; **SLB** – Silver L Bog, CLIN; **Spec** – Speculator, HAMI; **SRM** – Saranac Ri Mouth, CLIN; **TFBL** – Ticonderoga Ferry Boat Launch, ESSE; **VV** – Vermontville; FRAN; **WRS** – Webb Royce Swamp, ESSE; **WB** – Whallon Bay, ESSE; **WBR** – Whallons Bay Rd, ESSE; **WD** – Wilcox Dock, CLIN; **WF** – Whiteface Mt, ESSE; **WI** – Willsboro, ESSE; **WMO** – Lake opposite Wickham Marsh, ESSE; **WP** –

Westport, ESSE; **WPt** – Willsboro Pt, ESSE; **WRF** – Willsboro Research Farm, ESSE; **XAB** – Old Air Force Base, CLIN.

Snow Goose: arr 18 MMRP 24 Sep;
max 7000 PaR 27 Nov (KCo).

Ross's Goose: 2 MMRP 16 Oct-7 Nov
(SR, TL); *intro*.

Greater White-fronted Goose:
2 MRP 17 Oct-7 Nov (RHn, DHR, ph),
western-type; Pt au Fer, CLIN 24 Nov
(SR), subspecies undetermined; *intro*.

**Greater White fronted x Canada
Goose (hybrid):** MRP 20-26 Oct
(RHn), photo; *intro*.

Brant: 30 Inl 8 Nov (GLE).

Cackling Goose: arr BRM 23 Sep
(DHR); max 14 MMRP 26 Oct (DHR);
intro.

Canada Goose: max 10,000 MMRP 30
Oct.

TRUMPETER SWAN (R7): 2
Sulphur Spring Rd, FRAN 3 Nov (JB,
HW), *intro*.

Wood Duck: max 39 LCTM 7 Sep
(SR).

Blue-winged Teal: 35 LCTM 20 Sep
(EG).

Northern Shoveler: 3 CP 21 Sep (SR).

Gadwall: 6 Fish Creek Pd, FRAN 2
Sep (YR).

American Wigeon: max 25 CPSHS 21
Sep (SR).

American Black Duck: 30 CP 17 Sep
(SR).

Northern Pintail: 6 KB 8 Oct (SR).

Green-winged Teal: 25 LCTM 20 Sep
(EG).

Redhead: 3 PHP 24 Sep (SR); 22
Chazy Ri, CLIN 20 Oct (SR).

Ring-necked Duck: 2 PS 23 Sep (LK);
175 Penfield Pd, ESSE 5 Nov (SR).

TUFTED DUCK (R7): PK 20 Oct
(SR); *intro*.

Greater Scaup: 600 PK 23 Oct (NM).

Lesser Scaup: 370 PK 6 Oct (SR).

Greater/Lesser Scaup: 5000 WMO 24
Nov (SR).

Surf Scoter: max 7 WMO 3 Nov (SR).

White-winged Scoter: Har 2 Oct
(MB).

Black Scoter: 2 BWB 10 Oct (SR); 22
PL 2 Nov (GD).

Long-tailed Duck: 6 WD 24 Nov
(SR).

Bufflehead: 47 CP 9 Nov (DHR).

Common Goldeneye: 58 WMO 24
Nov (SR).

Hooded Merganser: 11 SRM 14 Oct
(JJ).

Common Merganser: 30 AP 21 Nov
(SB).

Red-breasted Merganser: 55 CoB 25
Oct (SR).

Ruddy Duck: max 3 CP 27 Oct-9 Nov
(SR, DHR).

Wild Turkey: 24 Gabriels, FRAN 24
Sep (NM).

Ruffed Grouse: 6 WP 24 Sep (JG).

Ring-necked Pheasant: 3 LAWMA 8
Oct (SR).

Pied-billed Grebe: 6 KB 23 Sep (DS).

Horned Grebe: 19 WMO 24 Nov
(SR).

Red-necked Grebe: 4 WB 22 Oct
(SR).

Black-billed Cuckoo: BB 11 Sep (CL,
RH).

Common Nighthawk: 35 LCTM 10
Sep (AB); CP 7 Oct, late.

Eastern Whip-poor-will: Clintonville,
CLIN 10 Sep (DH).

Chimney Swift: 2 LAWMA 3 Sep
(RH).

Ruby-throated Hummingbird: 4
Onchiota, FRAN 5 Sep (JB).

Virginia Rail: 2 CR 8 Sep (SR), Co-FL.

Sora: LCTM 8 Sep (EG).

Common Gallinule: 3 CR 8 Sep (SR); 5 LCTM 7 Sep (SR).

American Coot: 4 Putnam Creek, ESSE 4 Nov (KM).

Sandhill Crane: 3 Tupper L, FRAN 4 Sep (StR).

Black-bellied Plover: Putts Creek, ESSE 12 Sep (SR); CP 26 Nov (mob), late.

American Golden-Plover: PCB 2 Sep (DHR); HBO 22 Sep-1 Oct (SR).

Killdeer: 13 HBO 8 Sep (SR).

Semipalmated Plover: PCB 2 Sep (DHR); 14 BRM 5 Sep (DHR).

Sanderling: 2 NP 14 Sep (SR).

Dunlin: NP 6 Oct (SR).

Baird's Sandpiper: max 4 BRM 1-14 Sep (DHR, SR); LCTM 17 Sep (AB).

Least Sandpiper: max 7 LCTM 20 Sep (EG).

White-rumped Sandpiper: 2 LCTM 10 Sep (AB); CBM 10 Oct (DHR).

Pectoral Sandpiper: 3 CR 8 Sep (SR); LCTM 17 Sep (AB); 3 CBM 10 Oct (DHR).

Semipalmated Sandpiper: max 4 LCTM 10 Sep (AB).

American Woodcock: 22 reps across all 4 counties; Carpenter's Flats 22 Nov (DR), late.

Wilson's Snipe: max 3 Putts Creek ESSE 12 Sep (SR) and 3 LCTM 17 Se (AB); AP 22 Nov (DR) and AP 28 Nov (LMc), late.

Spotted Sandpiper: 2 PaR 1 Sep (JH).

Solitary Sandpiper: 2 CLIN, 1 FRAN, 6 ESSE; max 2 HBO 1 Sep (DHR).

Lesser Yellowlegs: 7 CR 8 Sep (SR).

Greater Yellowlegs: max 18 NP 14 Sep (SR).

BLACK-LEGGED KITTIWAKE

(R7): Pumpkin Reef, ESSE 27 Sep (DHR); *intro*.

Bonaparte's Gull: ESSE max 75 HBO 25 Sep (BMc, JS, CV); CLIN max 215 Gilbert Brook Marina 8 Oct (SR).

Little Gull: CoB 27 Oct (SR); *intro*.

Lesser Black-backed Gull: 3 SRM 8 Sep (SR); WD 26 & 28 Oct (BK).

Great Black-backed Gull: 14 SRM 5 Nov (DHR).

Herring X Great Black-backed Gull: BRM 1-5 Sep (DHR).

Caspian Tern: 6 TFBL 3 Sep (SR).

Black Tern: WPt 5 Sep (DHR).

Red-throated Loon: 3 PHP 24 Oct (SR); 8 CP 7 Nov (SR).

Common Loon: 3 LCo 5 Sep (AB), Co-FL; 44 LCI 28 Sep (NM).

Double-crested Cormorant: 180 PHP 24 Oct (SR).

American Bittern: 3 LCTM 8 Sep (EG).

Least Bittern: LCTM Sep 8 (EG).

Great Blue Heron: 6 AP 22 Sep (SR).

Great Egret: 14 LCTM 17 Sep (AB).

Green Heron: 2 LCTM 8 Sep (EG).

Black-crowned Night-Heron: 5 LCTM 10 Sep (AB), Co-FL.

Black Vulture: max 21 Ticonderoga, ESSE 26 Oct (SR).

Osprey: 5 LCTM 1 Sep (SH).

GOLDEN EAGLE (R7): Raquette L, HAMI 1 Oct (GL, ph); OPR 27 Nov (CV, BMc, ph).

Northern Harrier: 2 VV 10 Nov (TB).

Sharp-shinned Hawk: WF 4 Nov (RHn).

Cooper's Hawk: 2 PS 2 Sep (JL).

Bald Eagle: 4 PaR 7 Nov (BK).

Red-shouldered Hawk: LAWMA 15 Sep (BK).

Broad-winged Hawk: 2 MtM 17 Sep (AF).

Red-tailed Hawk (*abieticola*): WPt 7 Oct (DHR).

Rough-legged Hawk: 2 KN 1 Nov (LM).

Eastern Screech Owl: 3 ESSE, 2 HAMI, 1 CLIN.

Great Horned Owl: 3 ESSE, 2 FRAN, 1 CLIN.

Barred Owl: reps in all 4 counties.

Short-eared Owl: 5 AHR 22 Nov (DHR).

Northern Saw-whet Owl: WPt 3 Oct (DHR); 4 Inl 10 Oct (GLE).

Belted Kingfisher: 4 AP 22 Sep (SR).

RED-HEADED WOODPECKER

(R7): Cumberland Head, CLIN 16 Oct (SJ, BK); Rainbow L, FRAN 27-28 Oct (m. ob.); Paradox, ESSE 2-3 Nov (EG, SR); *intro*.

Red-bellied Woodpecker: 3 LCTM 17 Sep (AB), Co-FL.

Yellow-bellied Sapsucker: 2 BBS 11 Sep (BJ, JJ).

Black-backed Woodpecker: 3 VV 9 Sep (DHR).

Northern Flicker: 3 PS 2 Sep (JL).

Pileated Woodpecker: common and widespread throughout Reg; max 4 Connery Pd Br 4 Sep (MCh, GLCh).

American Kestrel: 7 WI 21 Sep (DHR).

Merlin: 2 CR 8 Sep (SR).

Peregrine Falcon: 2 WF 15 Sep (LB).

Great Crested Flycatcher: Newcomb, ESSE 13 Sep (LB).

Eastern Kingbird: PaR 1 Sep (JH).

Olive-sided Flycatcher: LCTM 17 Sep (AB).

Eastern Wood-Pewee: last Port Henry, ESSE 30 Sep (SR).

Least Flycatcher: Fawn L, HAMI 14 Sep (CK).

Eastern Phoebe: 6 PL 4 Sep (CK).

Yellow-throated Vireo: 2 LCTM 8 Sep (EG).

Blue-headed Vireo: 3 PS 17 Sep (EJ).

Philadelphia Vireo: WRS 15 Sep (DHR).

Warbling Vireo: 4 CR 8 Sep (SR).

Red-eyed Vireo: 5 LCo 5 Sep (AB).

Northern Shrike: only 3 reps; WPt 30 Oct (DHR); Cemetery Rd Wetlands, ESSE; 15 Nov (DHR); AFT 15 Nov (SR).

Canada Jay: 7 BB 29n Nov (BJ).

Fish Crow: 2 Plattsburgh, CLIN 9 Sep (BK), Co-FL.

Common Raven: 16 KN 15 Oct (LM).

Boreal Chickadee: 7 WF 4 Nov (RHn).

Tufted Titmouse: 6 LCTM 10 Sep (AB).

Horned Lark: 150 Reynolds Rd, CLIN 24 Nov (SR).

Bank Swallow: 2 BWB 5 Sep (SR).

Tree Swallow: max 60 BRM 1 Sep (DHR).

Northern Rough-winged Swallow: LCTM 7 Sep (SR).

Barn Swallow: 20 LCTM 8 Sep (EG).

Cliff Swallow: 2 BRM 1 Sep (DHR).

CAVE SWALLOW: 2 CP 6 Nov (SR); *intro*.

Ruby-crowned Kinglet: 12 Tupper L FRAN 3 Oct (JC).

Golden-crowned Kinglet: 12 PS 16 Oct (JHa).

Bohemian Waxwing: 9 PS 14 Nov (BMc); 175 SL 26 Nov (JMc).

Cedar Waxwing: 35 EW 8 Sep (JG).

Red-breasted Nuthatch: 18 PS 13 Sep (NM).

Brown Creeper: 3 SLB 1 Sep (JL).

House Wren: 2 AFT 1 Oct (SR).

Winter Wren: 4 Malone, FRAN 13 Oct (A&SA-L).

Sedge Wren: rare in fall: WPt 10 Sep (DHR), *intro*.

Marsh Wren: 6 LCTM 15 Sep (EG).

Carolina Wren: SL 8 Sep (AB), Co-FL.

Gray Catbird: 11 CP 21 Sep (SR).

Brown Thrasher: XAB 22 Sep (SR).

Northern Mockingbird: 2 XAB 22 Sep (SR).

Eastern Bluebird: 22 WI 25 Sep (DHR).

Veery: SLB 1 Sep (JL).

Gray-cheeked Thrush: Duane, FRAN 17 Sep (RHn); Azure Mt, FRAN 11 Oct (RHn).

Bicknell's Thrush: MtM 17 Sep (AF).

Swainson's Thrush: 3 BB 24 Sep (BMc, CV).

Hermit Thrush: 6 WF 9 Sep (TR).

American Pipit: PS 24 Sep (NM); 230 Stetson Rd, CLIN 20 Oct (SR).

Evening Grosbeak: widespread. Reps in all 4 counties. Max 110 Harriestown, FRAN 21 Nov (EG); *intro*.

Evening Grosbeak (type 3): Inl 5 Oct (PM).

Pine Grosbeak: 5 Sabattis Bog, HAMI 21 Nov (CD).

Purple Finch: 11 KN 5 Sep (LM).

Common Redpoll: 2 LCI 4 Nov (GD).

Red Crossbill: 18 SL 30 Oct (RHn).

Red Crossbill type 12: OPR 26 Nov (JMc).

White-winged Crossbill: Madawaska Flow, FRAN 27 Nov (LS).

Pine Siskin: max 8 Inl 27 Oct (GL).

American Goldfinch: 3 PH 1 Sep (SR), Co-FL; max 33 Plattsburgh 22 Sep (SR).

Lapland Longspur: Uihlein Farm, ESSE 21 Nov (BMc).

Snow Bunting: max 75 CP 9 Nov (DHR).

Chipping Sparrow: max 36 WRF 1 Oct (DHR).

Field Sparrow: WB 22 Oct (WS).

Fox Sparrow: 2 PS 6 Oct (NM).

American Tree Sparrow: WP 8 Oct (JS).

White-crowned Sparrow: AM 24 Sep (BK), early CLIN date.

Vesper Sparrow: 3 PAp 10 Oct (GD).

NELSON'S SPARROW (R7): rare in ESSE, BRM 30 Sep (DHR); *intro*.

Savannah Sparrow: 2 WBR 3 Nov (SR).

Lincoln's Sparrow: AFT 1 Oct (SR).

Swamp Sparrow: 7 BB 30 Sep (NH).

Eastern Towhee: 2 PaR 9 Sep (KA).

Bobolink: CR 8 Sep (SR), late CLIN.

Eastern Meadowlark: 2 Westport, ESSE 11 Oct (NR).

Baltimore Oriole: LCTM 7 Sep (SR).

Brown-headed Cowbird: 28 WBR 24 Nov (SR).

Rusty Blackbird: 3 Little Tupper L, FRAN 23 Sep (KS); 15 LAWMA 8 Oct (SR).

Ovenbird: Wilmington, ESSE 24 Sep (MS).

Northern Waterthrush: 2 LCTM 7 Sep (SR).

Blue-winged Warbler: LCTM 7 Sep (SR).

Black-and-white Warbler: CP 21 Sep (SR).

Tennessee Warbler: 2 PaR 5 Sep (DHR); 3 WI 21 Sep (JG).

Orange-crowned Warbler: WRS 6 October (SR); PaR 8 October (SR); WPt 14 October (DHR).

Nashville Warbler: WB 20 Oct (SR), last.

Common Yellowthroat: Spec 14 Oct (CK), last.

American Redstart: EFT 27 Sep (DHR).

Cape May Warbler: LCI 24 Sep (CV).

Northern Parula: Spec 2 Oct (AM), last.

Magnolia Warbler: BB 22 Oct (RHn), last.

Bay-breasted Warbler: 3 PaR 5 Sep (DHR); 4 PH 9 Sep (SR).

Blackburnian Warbler: Essex, ESSE 24 Sep (AM)

Yellow Warbler: AP 20 Sep (OS).

Chestnut-sided Warbler: WPt 25 Sep (DHR).

Blackpoll Warbler: 10 HMt 1 Oct (EMc).

Black-throated Blue Warbler: PS 1 Oct (GT), last.

Palm Warbler: 10 HMt 1 Oct (EMc).

Pine Warbler: Elizabethtown, ESSE 3 Oct (JG), last.

Yellow-rumped Warbler: 32 PS 25 Sep (NM).

Black-throated Green Warbler: LCo 5 Sep (AB), Co-FL.

Canada Warbler: SL 4 Sep (KB).

Wilson's Warbler: SLB 11 Sep (CL); SL 8 Oct (JP).

Scarlet Tanager: WPt 26 Sep (DHR).

Rose-breasted Grosbeak: 4 LCTM 7 Sep (SR).

Indigo Bunting: 2 EFT 27 Sep (DHR).

DICKCISSEL (R7): PAp 10 Oct (GD), *intro*.